UNCLASSIFIED

AD NUMBER

ADB955265

NEW LIMITATION CHANGE

TO

Approved for public release, distribution unlimited

FROM

Distribution limited to DoD only; Software Documentation; Oct 83. Other requests must be referred to AFWAL/FIBED, Wright-Patterson AFB, OH 45433.

AUTHORITY

AFRL ltr., 14 Sep 99

AFWAL-TR-83-3072

DYNAMIC STABILITY OF BEAMS IN A COMBINED THERMAL-ACOUSTIC ENVIRONMENT

Paul Seide and Cyrous Adami

Department of Civil Engineering University of Southern California Los Angeles CA 90007

Oct 1983



This document contains information for manufacturing or using munitions of war. Export of the information contained herein, or release to foreign nationals within the United States, without first obtaining an export license, is a violation of the International Traffic-in-Arms Regulations. Such violation is subject to a penalty of up to 2 years imprisonment and a fine of \$100,000 under 22 USC 2778.

include this notice with any reproduced portion of this document.

DACH WENT POTON Distribution limited to DOD components only: computer software Dotober 1983. Non-DOD requests for this document must be referred to AFWAL/FIBEO. WPAFB, OH 45433, and must include the statement of terms and conditions contained in Atch 21 to AFR 300-6.

FLIGHT DYNAMICS LABORATORY AIR FORCE WRIGHT AERONAUTICAL LABORATORIES AIR FORCE SYSTEMS COMMAND

WRIGHT-PATTERSON AIR FORCE BASE, OHIO 45433

DEC 1 9 1993

15 45 A

002 12 19 83





NEXT SERVICE TO THE RESERVICE OF THE SERVICE OF THE

NOTICE

When Jovernment drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture use, or sell any patented invention that may in any way be related thereto.

This technical report has been reviewed and is approved for publication.

Howard F. Wolfe

HOWARD F. WOLFE, Technical Manager Acoustics and Sonic Fatigue Group Structural Integrity Branch

DAVEY L! SMITH, Chief

Structural Integrity Branch Structures and Dynamics Division

FOR THE COMMANDER

RALPH L. KUSTÉR, JR., COL, USAF

Chief, Structures and Dynamics Division

Flight Dynamics Laboratory

"If your address has changed, if you wish to be removed from our mailing list, or if the addressee is no longer employed by your organization please notify AFWAL/FIBED W-PAFB, OH 45433 to help us maintain a current mailing list".

Copies of this report should not be returned unless return is required by security considerations, contractual obligations, or notice on a specific document.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1 REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER .
AFWAL-TR-83-3072		
4. TITLE (and Subility) DYNAMIC STABILITY OF BEAMS IN A COMBINED THERMAL- ACOUSTIC ENVIRONMENT		5. TYPE OF REPORT & PERIOD COVERED Final Technical Report Oct 1978 - Oct 1982
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(#)		8. CONTRACT OR GRANT NUMBER(*)
Paul Seide, Cyrous Adami	AF0SR-79-0013	
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Department of Civil Engineering University of Southern Califronia Los Angeles CA 90007		P.E. 61102F 2307N113
11 CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
Air Force Wright Aeronautical Laboratory		Oct 1983
Air Force Systems Command		13. NUMBER OF PAGES
Wright-Patterson Air Force Base OH 45433 14 MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office)		15. SECURITY CLASS. (of this report)
		Unclassified
		154, DECLASSIFICATION/DOWNGRADING SCHEDULE
16 DISTRIBUTION STATEMENT (of this Report)		AUMENTH

Distribution limited to DOD components only: computer software? Oct 1983. Non DOD requests for this document must be referred to AFWAL/FIBED, WPAFB OH 45433, and must include the statement of terms and conditions contained in Atch 21 to AFR 300-6.

17 DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

IS SUPPLEMENTARY NOTES

13. KEY WORDS (Continue on reverse side if necessary and identify by block number)

thermal loads acoustic loads oil canning beam buckling beam snap through random loading RMS beam response nonlinear structures

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

The present report describes a number of studies carried out to further understanding of the phenomenon of snap-through of initially buckled beams under random loading. The most significant of these involves the numerical integration of the equations of motion with the use of a computer generated random loading function. The results lead to a definition of a critical power spectral density of the loading as the value for which the average zero-crossing frequency of sponse becomes very small or zero and to an

DD FORM 1473 EDITIO

المعتضا

. Block #20

estimate of the critical value. The required calculations are lengthy and costly and point up the need for better analytical techniques for highly nonlinear structures.




TABLE OF CONTENTS

	•		Page
NOMENCLATU	RE	•••••••	٧
INTRODUCTIO	ON	• • • • • • • • • • • • • • • • • • • •	1
CHAPTER 1	EQUA	TION OF MOTION	5
CHAPTER 2	INIT	MIC STABILITY OF SIMPLY SUPPORTED IALLY BUCKLED BEAMS UNDER DETERMINISTIC ING	12
	2.1	Static Buckling	13
	2.2	Dynamic Buckling due to Step-Loading	
	2.3	Dynamic Buckling due to an Impulse Load	24
	2.4	Lowest Free Vibration Frequency	26
CHAPTER 3	DYNAMIC STABILITY OF INTIALLY BUCKLED BEAMS UNDER UNIFORM RANDOM PRESSURE		32
	3.1	Monte-Carlo Determination of First Snap- Through Probability	35
	3.2	Calculation of Average Snap-Through Frequency	55
CHAPTER 4	RMS RESPONSE OF INITIALLY BUCKLED BEAMS UNDER UNIFORM RANDOM PRESSURE		63
	4.1	Numerical Integration Results	63
	4.2	Approximate Analytical Investigation	69
	4.3	Comparison of Simulated and Equivalent Linearization Results	74
CHAPTER 5	EXPERIMENTAL AND ANALYTICAL INVESTIGATION OF RMS RESPONSE OF CLAMPED BEAMS UNDER RANDOM LOADING		89
,	5.1	Test Specimens	89
	5.2	Test Set-up	89
	5.3	Sound Pressure Level Calibration	94
	5.4	Test Procedure	98
	5.5	Measurement of Damping Coefficient	102
	5.6	Beam Subjected to Random Coding	105
	5.7	Analytical Investigation	108

		Page
CONCLUSIONS	***************************************	113
REFERENCES .		11.5
APPENDIX A	PROGRAM DRIBB3 FOR THE DETERMINATION OF SNAP-THROUGH PROBABILITY	117
	PROGRAM DRIBB2 FOR NUMERICAL INTEGRATION OF THE EQUATIONS OF MOTION	121

NOMENCLATURE

Α	area of beam cross-section
d ·	amount by which beam ends are moved together
dcr	end shortening which first produces beam buckling
E	Young's modulus of beam material
f	average zero-crossing frequency of beam
h	distance from centroidal axis to outermost beam fibers
I	moment of inertia of beam cross-section about centroidal axis perpendicular to plane of bending
Ī	nondimensional impulse pressure loading
L	beam length
N	axial load, positive in compression
Ncr	axial compressive buckling load of beam
N _O	initial axial compressive load in beam
Ñ	nondimensional axial compressive load parameter $(\frac{A/L^2}{\pi^2 EI})$
\bar{N}_{O}	nondimensional initial compressive load parameter $(\frac{N_0L}{\pi^2EI})$
р	uniform tranverse pressure
p	nondimensional transverse pressure parameter $(\frac{4}{5} \frac{pL^4}{EIr})$
₽ ₀	nondimensional time average of random pressure distribution
r	radius of gyration of beam cross-section $(\sqrt{1/A})$
So	power spectral density of white noise pressure history
\$ ₀	nondimensional power spectral density parameter
v	$(\frac{32}{\pi^7} \frac{L^6}{E^2 I^2} \sqrt{\frac{EA}{\rho I}} S_0)$
Š	alternate power spectral density parameter $(\frac{4}{\pi^5} \frac{S_0}{EAB}; \frac{S_0}{8\mu})$
t	time -
τ	nondimensional time parameter $(\frac{\pi^2}{L^2}\sqrt{\frac{EI}{\rho A}}t)$
W	beam deflection from buckled equilibrium position
w _m	amplitude of mth term in Fourier series expansion of w
w _O	amplitude of initial buckled shape
W _S	static deflection of buckled beam from straight reference axis

_ =	, w _O w _m ,
w _O , w _m	nondimensional deflection amplitude parameters $(\frac{w_0}{r}, \frac{w_m}{r})$
x	distance along beam
β	viscous damping coefficient of beam material
ΔL	additional changes of horizontal length of the beam if the ends were unrestrained
ΔLO	initial change of horizontal length of buckled beam
ΔΝ	change in axial load due to beam bending
δ _{mn}	Kronecker delta (=0 if $m \neq n$, =1 if $m = n$)
μ <u>̃</u>	nondimensional viscous damping parameter $\frac{\beta L^2}{\pi^2 \sqrt{\rho AEI}}$)
ρ±	density of beam material
σaν σmax σ0	the average stress in beam outer fibers
σ <u>*</u>	maximum stress in beam outer fibers
Q.U	standard deviation of white noise pressure distribution
σ± av	average stress parameter at outermost fibers of beam
	$(\frac{\sigma_{av}}{\pi^2 E} (\frac{L}{r})^2)$
σ± max	maximum stress parameter at outermost fibers of beam
max	$(\frac{\sigma_{\text{max}}}{\pi^2 E}(\frac{L}{r})^2)$
$\vec{\sigma}_{0}$	nondimensional standard deviation parameter $(\frac{4}{\pi^5} \frac{\sigma_0 L^4}{EI_r})$
$ar{\sigma}_{ extsf{static}}$	static stress parameter for initially buckled beam

INTRODUCTION

Aircraft structural components such as engine air intake ducting and rear fuselage and empennage structures which are located in the vicinity of jet engine exhausts experience combined heating and random dynamic excitation which result from the acoustic or pseudoacoustic noise emitted by the jet efflux. In addition, in the VTOL and V/STOL operational modes of projected advanced aircraft, combined thermal and acoustic environments can be expected in areas of the wing and/or fuselage structure — the locations and magnitudes being highly dependent upon vehicle/engine configurations. The combined thermal-acoustic environment can also occur in different operational modes of re-entry vehicles such as the space shuttle.

A completely rigorous analytical method of obtaining the combined effects of thermal and acoustic loading is unavailable. Therefore, present design practices rely heavily on component testing in a simulated environment. Such tests, however, which are more in the nature of qualification tests, generally do not yield quantitative data. A program to obtain a better quantitative measure of the effects of the thermal-acoustic environment has been described in reference 1. Among the qualitative phenomena which have been revealed experimentally by that investigation is that there are limited ranges of temperature and acoustic environment which cause violent oil-canning vibrations of plate structures. If the sound pressure level of the random acoustic environment is kept constant and the

steady-state temperature is increased, the RMS strain response was observed to increase slowly until some "critical" temperature was reached beyond which oil-canning vibrations occurred and the RMS strain response increased rapidly at first. As the steady-state temperature was further increased, the RMS strain response reached a peak value and then decreased rapidly to some value lower than the pre-critical level. The large stress reversals that occur during oil-canning vibrations in sufficiently high intensity acoustic environments can lead to early fatigue failure.

The phenomenon is readily explained in a qualitative fashion as a consequence of buckling of the plate due to the thermal environment. As the steady-state temperature and the inplane compressive thermal stresses increase, the stiffness of the plate decreases until buckling occurs. If the tem, ature is somewhat higher, the plate would be in equilibrium in slightly deflected positions on either side of the flat reference position and the acoustic load causes oil-canning from one to the other. As the steady-state temperature and hence the amplitude of the static buckled configureation increases, however, the energy level of the acoustic loading becomes insufficient to produce oil-canning vibrations. A quantitative description of this phenomenon and of the regions of critical thermal-acoustic environment interaction is lacking, however.

Although the experimental data obtained in reference 1 were used to define a region of instability, the data are insufficient to inspire confidence in the accuracy or reasonableness of the semi-empirical criterion. The implication of this criterion is that oil-canning will occur only when the amplitude of the buckle is between 1.5 and 6 times the predicted

RMS deflection of the uncompressed plate under uniform random pressure, provided the RMS deflection is greater than 0.3 times the plate thickness. While the upper limit is possible, there does not appear to be any valid reason for the lower limit to exist. Since the RMS value of deflection is roughly related to the square root of the power spectral density of the laoding intensity, the criterion would appear to preclude snap-through for very high loading intensity.

A perusal of the literature indicates that the only analytical investigation of a similar problem is available in reference 2. Here the interest centers on the time required for the maximum deflection of a simply supported curved arch to first reach or exceed a certain critical value. The method used in reference 2 can be described as an "experimental" one since the equation of motion of the arch, represented by that for an equivalent single-degree-of-freedom system, is integrated numerically for loadings given by a random-number generator. Enough of these numerical experiments are conducted to yield a curve of the probability of first-passage snap-through at a given time as a function of time. The response of axially compressed initially buckled beams to deterministic transverse load has been discussed in a number of papers. The buckling and snap-through behavior of steep buckled simply supported beams under concentrated and uniform static transverse loading is investigated in reference 3. The snap-through of shallow buckled clamped beams due to harmonic support excitation was studied in reference 4. In references 5 to 8 results for the small large amplitude free vibrations of buckled beams are given. The response of such structures to random loading has not been studied however.

In view of the meager available literature on the problem, an investigation of the response of initially buckled beams was undertaken through AFOSR Grant No. 79-0013 with the University of Southern California. The present report describes the work done toward further understanding of the phenomenon. A number of investigations were carried out and are presented as separate sections. Included are investigations of the dynamic buckling of initially buckled simply supported beams under deterministic load, Monte Carlo determination of first snap-through probability, calculated RMS response under simulated random loading and comparison with the results of the method of equivalent linearization. Equivalent linearization and actual experimental results for clamped beams are also given.

Chapter 1

EQUATION OF MOTION

The equation of motion of an initially buckled beam is derived herein under the assumption of small strains, moderately large deflections, and negligible longitudinal inertia. A more rigorous derivation incorporating very large deflections and strains is given in reference 9 but is considered to be impractical for computational purposes.

Consider an initially straight beam whose ends are brought together a certain amount, d. If d is less than a critical value d_{cr} , the beam is compressed only and does not bend. The axial compressive load N_0 in the beam is less than the Euler buckling load and is given by

$$N_{\Omega} = EA \frac{d}{L} . \qquad (1.1)$$

If, however, d is greater than d_{cr} , the beam buckles with a deflection $w_s(x)$. For relatively small buckle amplitudes the axial compressive load N_0 remains constant at the Euler buckling load N_{cr} .

For a simply supported beam the Euler buckling load is given by

$$N_{\rm cr} = \frac{\pi^2 EI}{L^2} \tag{1.2}$$

The initial buckled shape is a half sine wave

$$w_s = w_0 \sin \frac{\pi x}{L} \tag{1.3a}$$

with an amplitude approximately given by

$$w_0 = \frac{2}{\pi} \sqrt{L(d-d_{cr})}$$
 (1.3b)

and

$$d_{cr} = \frac{\pi^2 I}{\mu L^2} \tag{1.3c}$$

If the beam is clamped at both ends the Euler buckling load is now

$$N_{\rm cr} = \frac{4\pi^2 EI}{12}$$
 (1.4)

The initial buckled shape is given by

$$w_s = \frac{w_0}{2} (1 - \cos \frac{2\pi x}{L})$$
 (1.5a)

with an initial amplitude given by Eq. (1.3b) where now

$$d_{cr} = \frac{4\pi^2 I}{\Delta I^2}$$
 (1.5b)

With the ends of the beam now fixed in the compressed position, the beam is next subjected to uniformly distributed time dependent loading (Fig. 1). The equation of motion of the beam, including viscous damping, is given by

$$EI \frac{\partial^{4}(w+w_{s})}{\partial x^{4}} + N \frac{\partial^{2}(w+w_{s})}{\partial x^{2}} + \rho A \frac{\partial^{2}w}{\partial t^{2}} + \beta \frac{\partial w}{\partial t} + p = 0$$
 (1.6)

where w is the additional beam deflection and N is the axial compressive force exerted on the beam by the supports.




Fig. 1. Buckled Beam Subjected to Uniform Pressure

The change in the axial compressive force from its initial value N_0 is determined by the additional stretching or compression the beam undergoes during its motion. The amount by which the ends of the beam move together prior to motion is equal to the sum of the change of length due to the critical load and the amount by which the ends move together due to beam bending. Thus

$$\Delta L_0 = \frac{N_0 L}{EA} + \frac{1}{2} \int_0^L \left(\frac{dw_s}{dx}\right)^2 dx \qquad (1.7)$$

where w_s vanishes if N_0 is less than $N_{\rm cr}$. With w_s given by Eqs.(1.3a) or (1.5a), Eq.(1.7) yields the result of Eq.(1.3b). When the beam deflects from its static position, the beam ends would tend to move, were they not fixed in position, an additional amount equal to

$$\Delta L = \frac{1}{2} \int_{0}^{L} \left\{ \left[\frac{\partial}{\partial x} \left(w + w_{s} \right) \right]^{2} - \left(\frac{dw_{s}}{dx} \right)^{2} \right\} dx \qquad (1.8)$$

This change of position must be negated by stretching the beam by an axial tensile force given by

$$\Delta N = \frac{EA\Delta L}{L} = \frac{EA}{2L} \int_{0}^{L} \frac{\partial w}{\partial x} \left(\frac{\partial w}{\partial x} + 2 \frac{dw}{dx} \right) dx \qquad (1.9a)$$

Thus

$$N = N_0 - \frac{EA}{2L} \int_0^L \frac{\partial w}{\partial x} \left(\frac{\partial w}{\partial x} + 2 \frac{dw_s}{dx} \right) dx$$
 (1.9b)

For a simply supported initially buckled beam, let the additional dynamic deformation be given by

$$w = \sum_{m=1}^{\infty} w_m \sin \frac{m\pi x}{L}$$
 (1.10)

STATESTANDED BY THE CONTRACTORS IN STATES

Then the equations for the time dependence of the coefficients w_m may be obtained by substitution in Eq.(1.6) to yield, in nondimensional form,

$$\frac{d^2 \bar{w}_m}{dT^2} + \bar{\mu} \frac{d \bar{w}_m}{dT} + (m^2 - \bar{N}) m^2 (\bar{w}_m + \bar{w}_0 \delta_{m1}) = -\frac{\bar{p}}{m} \qquad m = 1, 3, 5... \quad (1.11a)$$

$$\frac{d^2 \bar{w}_m}{dT^2} + \bar{\mu} \frac{d \bar{w}_m}{dT} + (m^2 - \bar{N}) m^2 \bar{w}_m = 0 \qquad m = 2, 4, 6... \qquad (1.11b)$$

wi th

$$\bar{N} = \bar{N}_0 + \frac{1}{4}\bar{w}_0^2 - \frac{1}{4}\sum_{n=1}^{\infty} n^2(\bar{w}_n + \bar{w}_0 \delta_{n1})^2$$
 (1.11c)

The nature of the equations is best illustrated by considering only the term for m equal to unity. Then Eqs.(1.11) reduce to

$$\frac{d^2 \bar{w}_1}{dT^2} + \bar{\mu} \frac{d \bar{w}_1}{dT} + \frac{1}{4} \bar{w}_1 (\bar{w}_1 + \bar{w}_0) (\bar{w}_1 + 2\bar{w}_0) = -\bar{p}$$
 (1.12)

which is of the form of the equation of motion of a mass-spring system with a nonlinear spring stiffness. The restoring spring force is shown as a function of \bar{w}_1/\bar{w}_0 in Fig. 2. The spring resistance is of the softening type as \bar{w}_1 decreases from 0 and is actually destabilizing when




Fig. 2. One Mode Approximation to Beam Restoring Force

the beam becomes susceptible to snap-through from the buckled position on one side of the initially straight axis to the buckled position on the other side. Thus the beam would be expected to vibrate about the static buckled position for small excitations but to snap back and forth between the two equilibrium positions for larger excitations.

The succeeding chapters describe various investigations performed with the use of these equations.

Chapter 2

DYNAMIC STABILITY OF SIMPLY SUPPORTED INITIALLY BUCKLED BEAMS UNDER DETERMINISTIC LOADING

In order to get some idea of the order of magnitude of pressures to be considered, the dynamic stability of initially buckled beams under deterministic loading is investigated first. The analysis of snap-through under time-dependent loading is approximate and is similar to the investigation presented in reference 10 for shallow arches. The theory is limited to consideration of a single term in the series expansion of the deflection function for symmetric snap-through and to two terms for asymmetric snap-through. In the latter case the assumption is made that the minimum critical pressure is that for which the trajectory of motion passes through the saddle-point with zero velocity and is equivalent to an energy criterion for instability. The accuracy of the limitation of the deflection function and of the energy criterion has been investigated for shallow arches in references 11 and 12. It was concluded that while the accuracy of the results is limited, especially in the case of impulse type loading, the numbers obtained are reasonable "ball-park" estimates of critical pressure loadings and require, of course, considerably less computation than that involved in step-by-step integration of the coupled equations of motion for multiple series terms.

For the investigation of dynamic stability of initially buckled simply supported beams under deterministic loading, Eqs.(1.11) are used with the damping parameter taken as zero and only $\bar{\mathbf{w}}_1$ and $\bar{\mathbf{w}}_2$ retained in the infinite series of Eq.(1.10). Then the pertinent equations of motion reduce

$$\frac{d^2\bar{w}_1}{dT^2} = -\bar{p} + \frac{1}{4}(\bar{w}_1 + \bar{w}_0)([\bar{w}_0^2 - (\bar{w}_1 + \bar{w}_0)^2 - 4\bar{w}_2^2]$$
 (2.1a)

$$\frac{d^2 \bar{w}_2}{dT^2} = [\bar{w}_0^2 - (\bar{w}_1 + \bar{w}_0)^2 - 4\bar{w}_2^2 - 12]\bar{w}_2$$
 (2.1b)

With these equations, a number of approximate, but reasonably accurate, results may be obtained for some deterministic loadings of initially ouckled beams.

2.1 Static Buckling

If dynamic effects are omitted, the symmetric load-deflection response of the beam is given by Eqs.(2-3a) as

$$\bar{p} = \frac{1}{4} (\bar{w}_1 + \bar{w}_0) [\bar{w}_0^2 - (\bar{w}_1 + \bar{w}_0)^2]$$
 (2.2)

yielding a center deflection which decreases from \tilde{w}_0 as \tilde{p} increases from Egro. The load reaches a maximum when

$$\frac{\partial \bar{p}}{\partial (\bar{w}_1 + \bar{w}_0)} = 0 = \bar{w}_0^2 - 3(\bar{w}_1 + \bar{w}_0)^2$$
 (2.3a)

from which

$$\bar{w}_1 + \bar{w}_0 = \frac{\bar{w}_0}{\sqrt{3}}$$
 (2.3b)

Then the critical value of \bar{p} is given by Eqs.(2.2) and (2.3b) as

$$\bar{p} = \frac{\sqrt{3}}{6\sqrt{3}} \tag{2.4}$$

At this value of load the beam snaps through to an equilibrium position on the other side of the unbuckled beam axis.

A solution incorporating all of the symmetric terms of Eq.(1.10) can be obtained as well. Equations (1.11) for the static loading become

$$(\bar{N}-1)(\bar{w}_0 + \bar{w}_1) = \bar{p}$$
 (2.5a)

$$(\tilde{N}-m^2)m^2\bar{w}_m = \frac{\bar{p}}{m}$$
 $m = 3,5,...$ (2.5b)

Solution of Eqs.(2.5) and substitution in Eq.(1.11c) then yields a transcendental equation for \bar{N} as

$$\bar{N} = 1 = \frac{1}{4}\bar{w}_0^2 - \frac{1}{4}\tilde{p}^2 \sum_{m=1,3,5}^{\infty} \frac{1}{(\bar{N}-m^2)^2 m^4}$$

$$= 1 + \frac{1}{4}\bar{w}_0^2 - \frac{\pi^2}{64}\frac{\bar{p}^2}{\bar{N}^2}\left[\frac{\pi^2}{6} + \frac{1}{\bar{N}}\left(4 - 5\frac{\tan\frac{\pi}{2}\sqrt{\bar{N}}}{\frac{\pi}{2}\sqrt{\bar{N}}} + \sec^2\frac{\pi}{2}\sqrt{\bar{N}}\right)\right]$$
 (2.6a)

or

$$\bar{p} = \frac{8\bar{N}}{\pi} \sqrt{\frac{1 + \frac{1}{4}\bar{w}_0^2 - \bar{N}}{\frac{\pi^2}{6} + \frac{1}{\bar{N}} \left(4 - 5 \frac{\tan \frac{\pi}{2} \sqrt{\bar{N}}}{\frac{\pi}{2} \sqrt{\bar{N}}} + \sec^2 \frac{\pi}{2} \sqrt{\bar{N}}}\right)}$$
 (2.6.2)

The maximum value of \bar{p} occurs, for a given value of \bar{w}_0 , when $d\bar{p}/d\bar{N}$ vanishes or when

$$1 + \frac{1}{4}\bar{w}_{0}^{2} = \bar{N} \frac{\frac{\pi^{2}}{4} + \frac{1}{\bar{N}} \left(8 - \frac{45}{4} \frac{\tan \frac{\pi}{2}\sqrt{\bar{N}}}{\frac{\pi}{2}\sqrt{\bar{N}}} + \frac{13}{4} \sec^{2} \frac{\pi}{2}\sqrt{\bar{N}} - \frac{1}{2} \frac{\frac{\pi}{2}\sqrt{\bar{N}} \tan \frac{\pi}{2}\sqrt{\bar{N}}}{\cos^{2} \frac{\pi}{2}\sqrt{\bar{N}}}\right)}{\frac{\pi^{2}}{6} + \frac{1}{\bar{N}} \left(6 - \frac{35}{4} \frac{\tan \frac{\pi}{2}\sqrt{\bar{N}}}{\frac{\pi}{2}\sqrt{\bar{N}}} + \frac{11}{4} \sec^{2} \frac{\pi}{2}\sqrt{\bar{N}} - \frac{1}{2} \frac{\frac{\pi}{2}\sqrt{\bar{N}} \tan \frac{\pi}{2}\sqrt{\bar{N}}}{\cos^{2} \frac{\pi}{2}\sqrt{\bar{N}}}\right)}$$
(2.7)


Equations (2.6b) and (2.7) are thus parametric equations for the maximum value of \bar{p} as a function of \bar{w}_0 .

Rather than solve Eq.(2.7) for given values of \bar{w}_0 , the error of the approximate solution given by Eq.(2.4) may be indicated by assuming values of \bar{N} and calculating the corresponding value of \bar{w}_0 from Eq.(2.7). This value of \bar{w}_0 is then used in Eqs.(2.6) and (2.8b) to obtain approximate and "exact" values of \bar{p}_{max} . The range of values of \bar{N} that may be considered in Eq.(2.7) is $1 \le \bar{N} \le 7.4981$. At the lower limit \bar{w}_0 is equal to zero, while at the upper limit the denominator of the right side of Eq.(2.7) vanishes so that \bar{w}_0 is infinite. The results of calculations made with Eqs.(2.4), 2.6b), and (2.7) are snown in Fig. 3. It is readily seen that the one term approximation and the exact solution yield almost identical results so long as \bar{w}_0 is less than about 6. For large values of \bar{w}_0 the exact solution is approximated by

$$\bar{p} = 5.856 \, \bar{w}_0$$
 (2.8)

so that the exact and approximate solutions rapidly diverge.

As \bar{w}_0 increases it is possible that buckling may occur in an antisymmetric mode. The equation of motion for \bar{w}_2 is given by Eq.(1.11b) as



Comparision of Exact and Approximate Static Snap-Through Pressures Fig. 3.

$$\frac{d^2 \bar{w}_2}{dT^2} = 4(\bar{N}-4)\bar{w}_2 \tag{2.9}$$

So long as the coefficient of \bar{w}_2 or the right side of Eq.(2.9) is negative, a small antisymmetric disturbance remains small; when the coefficient becomes positive, however, the antisymmetric motion is unstable. Buckling in an antisymmetric mode thus can first occur if the coefficient of \bar{w}_2 in Eq.(2.9) vanishes, i.e., when

$$\bar{N} = 4 \tag{2.10}$$

for which the critical value of \bar{p} is given by Eq.(2.6b) as

$$\bar{p} = \sqrt{\bar{w}_0^2 - 12} \frac{\frac{16}{\pi}}{\sqrt{\frac{\pi^2}{6} + \frac{5}{4}}} = 2.9933 \sqrt{\bar{w}_0^2 - 12}$$
 (2.11a)

Equation (2.11a) is valid if the value of \bar{N} is less than the value at which snap-through occurs. Then Eq.(2.7) with \bar{N} equal to 4 yields

$$\bar{w}_0 > 2\sqrt{5 \frac{87 + 8\pi^2}{105 + 8\pi^2}} = 4.2477$$
 (2.11b)

The one term approximation yields the result

$$\bar{p} = 3\sqrt{\bar{w}_0^2 - 12}$$
 (2.12a)

provided

$$\bar{v}_0 > \sqrt{18} = 4.2426$$
 (2.12b)

which is in excellent agreement with the exact result.

It is interesting to compare the values obtained above with those of a shallow arch, which has a built-in initial shape identical to that of the buckled beam. The analysis of reference 10 yields the following critical pressures:


$$\bar{p} = \bar{w}_0 + \frac{1}{2} \left(\frac{\bar{w}_0^2 - 4}{3} \right)^{\frac{3}{2}}$$
 $2 < \bar{w}_0 < \sqrt{22}$ (2.13a)

$$\bar{p} = \bar{w}_0 + 3\sqrt{\bar{w}_0^2 - 16} \qquad \bar{w}_0 > \sqrt{22}$$
 (2.13b)

For \bar{w}_0 less than 2, there is no snap-through and hence no critical pressure. The two sets of results are shown in Fig. 4 where it is seen that the buckled beam has a critical uniform pressure which is always less than that of the shallow arch. For values of \bar{w}_0 greater than about 4, the critical pressure of the buckled beam is about 25% less than that of the arch. If \bar{w}_0 is less than 4 the ratio of the critical load of the buckled beam to that of the shallow arch decreases. If \bar{w}_0 is 2, for example, the ratio is equal to 0.385.

2.2 Dynamic Buckling Due to Step Loading

Consider now the situation that occurs when the constant pressure is suddenly applied. If the deformation process is symmetric, with \bar{p} constant a first integral of Eq.(2.1a) subject to the initial conditions of



Comparison of Static Critical Pressures for Buckled Beams and Shallow Arches Fig. 4.

sseet tistys stempopopopolikus kastooning kannoon saaraaning kannooning kannooning handooning kannooning

$$\overline{w}_1 = \frac{d\overline{w}_1}{dT} = 0 \tag{2.14a}$$

is given by

$$\frac{1}{2} \left(\frac{d\bar{w}_1}{dT} \right)^2 = -\bar{p}\bar{w}_1 - \frac{1}{16} \left[\bar{w}_0^2 - (\bar{w}_1 + \bar{w}_0)^2 \right]^2$$
 (2.14b)

The minimum displacement is obtained when $\mathrm{d}\bar{\mathrm{w}}_{1}/\mathrm{d}\mathrm{T}$ vanishes. Thus

$$\frac{16\bar{p}}{\bar{w}_0^3} = -\left[\left(\frac{\bar{w}_2}{\bar{w}_0}\right)^3 + 4\left(\frac{\bar{w}_1}{\bar{w}_0}\right)^2 + 4\left(\frac{\bar{w}_1}{\bar{w}_0}\right)\right] \tag{2.15}$$

The curve of $16\bar{\rm p}/\bar{\rm w}_0^3$ versus $\bar{\rm w}_1/\bar{\rm w}_0$ has a relative maximum at

$$\frac{\bar{w}_1}{\bar{w}_0} = -\frac{2}{3} \tag{2.16a}$$

at which

$$\tilde{p} = \frac{2}{27} \, \bar{w}_0^3 \tag{2.16b}$$

For \tilde{p} less than that value, the beam vibrates with a minimum total displacement on the same side of the straight axis as the initial buckle. For \tilde{p} greater than that value, the beam has a minimum displacement which is beyond the buckled equilibrium position on the other side of the axis. Thus the critical value of \tilde{p} is given by Eq.(2.16b) which is 23% less than the value for static buckling given by Eq.(2.4).

It is possible, however, for dynamic buckling to occur by a combination of symmetric and antisymmetric motion. In this case the equations of motion are given by Eqs.(2.1a) and (2.1b). A saddle point in the trajectories of constant potential energy occurs when the right sides of Eqs. (2.1) vanish, yielding

$$\bar{w}_{0} + \bar{w}_{1} = \frac{1}{3}\bar{p}$$
 (2.17a)

$$\bar{\mathbf{w}}_2^2 = \frac{1}{4} (\bar{\mathbf{w}}_0^2 - \frac{1}{9}\bar{\mathbf{p}}^2 - 12)$$
 (2.17b)

If Eq.(2.17a) is multiplied by $d\bar{w}_1$, Eq.(2.17b) is multiplied by $d\bar{w}_2$ and the two are added, a first integral of the motion satisfying the initial conditions of zero velocity and displacement is

$$\frac{1}{2} \left[\left(\frac{d\bar{w}_1}{dT} \right)^2 + \left(\frac{d\bar{w}_2}{dT} \right)^2 \right] = -\bar{p}\bar{w}_1 - \frac{1}{16} \left[\bar{v}_0^2 - (\bar{w}_0 + \bar{w}_1)^2 \right]^2 - \bar{w}_2^4 \\
+ \frac{1}{2} \bar{w}_2^2 \left[\bar{w}_0^2 - (\bar{w}_0 + \bar{w}_1)^2 - 12 \right] \tag{2.18}$$

The minimum pressure for which snap-through will occur is that for which the trajectory of motion passes through the saddle point with zero velocity. The substitution of Eqs.(2.17) into the right side of Eq.(2.18) then yields

$$-\frac{\bar{p}^2}{6} + \bar{p}\bar{w}_0 + 9 - \frac{3}{2}\bar{w}_0^2 = 0$$
 (2.19a)

from which the critical pressure is obtained as

$$\bar{p} = 3(\bar{w}_0 - \sqrt{6})$$
 (2.19b)

The negative sign in Eq.(2.19b) is determined from the condition that the right side of Eq.(2.17b) must be positive, which also yields the result that Eq.(2.19b) is valid only if

$$\bar{w}_0 > \frac{3}{2}\sqrt{6}$$
 (2.20)


At the value of \bar{w}_0 given by Eq.(2.20) the critical values of \bar{p} given by Eqs.(2.16b) and (2.19b) are identical. It is interesting to note that as \bar{w}_0 increases, the critical step pressure approaches the critical static pressure. The ratio of the two varies from 0.77 for low values of \bar{w}_0 ($\bar{w}_0 < \frac{3}{2}\sqrt{6}$) to a minimum of 0.71 at $\bar{w}_0 = 2\sqrt{6}$ and thenceforth increases to unity. For \bar{w}_0 equal to 10, for example, the ratio is 0.80.

Equivalent critical pressures for the shallow arch may be obtained from reference 10 as

$$\bar{p} = \frac{1}{27} \left[\bar{w}_0^3 + 18\bar{w}_0 + (\bar{w}_0^2 - 6)^{\frac{3}{2}} \right] = \frac{5}{3}\sqrt{6} > \bar{w}_0 > \sqrt{6}$$
 (2.21a)

$$\bar{p} = 4(\bar{w}_0 - \sqrt{6})$$
 $\bar{w}_0 > \frac{5}{3}\sqrt{6}$ (2.21b)

These are compared with the values given by Eqs. (2.16b) and (2.19b) in Fig. 5. It may be seen that the ratio of the critical pressure for the initially buckled beam and that of the shallow arch varies from 0.5 at $\bar{\mathbf{w}}_0 = \sqrt{6}$ to 0.75 for $\bar{\mathbf{w}}_0 > \frac{5}{3}\sqrt{6}$.



Comparison of Critical Step-Loading Pressures for Buckled Beams and Shallow Arches Fig. 5.

2.3 Dynamic Buckling Due to an Impulse Load

Consider now an impulse load given by

$$\bar{p} = \bar{l}\delta(T) \tag{2.22a}$$

where $\delta(T)$ is the Dirac delta function. From Eq.(2.1a) the initial velocity of the symmetric mode of deformation of the beam can be found to be

$$\frac{d\bar{w}_1}{dT} = -\bar{I} \tag{2.22b}$$

Integration of Eq.(2.1a) with \bar{p} equal to zero and subject to the initial conditions

$$\frac{d\tilde{w}_1}{d\tilde{I}} = -\tilde{I}, \quad \tilde{w}_1 = 0 \tag{2.23}$$

yields the velocity as

$$\left(\frac{d\bar{w}_{1}}{dt}\right)^{2} = \bar{t}^{2} - \frac{1}{8} \left[(\bar{w}_{1} + \bar{w}_{0})^{2} - \bar{w}_{0}^{2} \right]^{2}$$
 (2.24)

The beam reaches its minimum position when $\mathrm{d}\bar{\mathrm{w}}_{1}/\mathrm{d}\mathrm{T}$ vanishes at

$$(\bar{w}_1 + \bar{w}_0)^2 = \bar{w}_0^2 - 2\sqrt{2}\bar{1}$$
 (2.25)

Snap-through will not occur so long as the minimum value of $\bar{w}_1 + \bar{w}_0$ is greater than zero. Thus the critical value of \bar{I} is

$$\bar{I}_{cr} = \frac{\bar{w}_0^2}{2\sqrt{2}}$$
 (2.26)

If motion in an antisymmetric mode also occurs the equations of motion are given by Eqs.(2.1), with \tilde{p} given by Eq.(2.22a). A saddle point now occurs when

$$\bar{\mathbf{w}}_0 + \bar{\mathbf{w}}_1 = 0 \tag{2.27a}$$

$$\bar{w}_2^2 = \frac{1}{4}(\bar{w}_0^2 - 12)$$
 (2.27b)

The first integral of the motion satisfying the initial conditions

$$\frac{d\bar{w}_1}{dT} = -\bar{I}$$
, $\bar{w}_1 = \bar{w}_2 = \frac{d\bar{w}_2}{dT} = 0$ (2.28)

is now

$$\frac{1}{2} \left[\left(\frac{d\bar{w}_1}{dT} \right)^2 + \left(\frac{d\bar{w}_2}{dT} \right)^2 \right] = \frac{1}{2} \tilde{I}^2 - \frac{1}{16} \left[\tilde{w}_0^2 - (\bar{w}_0 + \bar{w}_1)^2 \right]^2 - \tilde{w}_2^4 + \frac{1}{2} \tilde{w}_2^2 \ \tilde{w}_0^2 - (\tilde{w}_0 + \tilde{w}_1)^2 - 12 \tag{2.29}$$

Snap-through will occur if the trajectory passes through the saddle point. This will occur at a minimum impulse of

$$\bar{I} = \sqrt{3(\bar{w}_0^2 - 6)}$$
 (2.30a)

Equation (2.27b) indicates that this solution is valid if

$$\bar{\mathbf{w}}_0 > 2\sqrt{3} \tag{2.30b}$$

The corresponding expression for mixed mode buckling of a shallow arch can be obtained from reference 10 as

$$\ddot{I} = \frac{1}{4} \sqrt{\bar{w}_0^4 + 40\bar{w}_0^2 - 32 + \bar{w}_0(\bar{w}_0^2 - 16)^{3/2}} \qquad 3\sqrt{2} > \bar{w}_0 > 4 \qquad (2.31a)$$

$$\vec{I} = 4\sqrt{\frac{1}{3}(\vec{w}_0^2-6)}$$
 $\vec{w}_0 > 3\sqrt{2}$ (2.31b)

The results given by Eqs.(2.26) and 2.30) for the initially buckled beam and by Eqs.(2.31) for the shallow arch are compared in Fig. 6. For sufficiently large values of the initial amplitude, the ratio of the critical impulses is given by

$$\frac{\bar{I}_{\text{initially buckled beam}}}{\bar{I}_{\text{shallow arch}}} = 0.75 \qquad (2.32)$$

2.4 Lowest Free Vibration Frequency

A final result that may be obtained is the lowest free vibration frequency of symmetric motion.


Let the beam be displaced and initially held at rest so that at time T equal to zero

$$\bar{\mathbf{w}}_1(0) = \bar{\mathbf{w}}_{10} > 0$$
 (2.33a)

$$\frac{d\bar{w}_1(0)}{d\bar{t}} = 0 (2.33b)$$

Then the first integral of the equation of motion is given by

$$\left(\frac{d\bar{w}_{1}}{dT}\right)^{2} = \frac{1}{8} \left[(\bar{w}_{10} + \bar{w}_{0})^{2} - (\bar{w}_{1} + \bar{w}_{0})^{2} \right] \left[(\bar{w}_{1} + \bar{w}_{0})^{2} + (\bar{w}_{10} + \bar{w}_{0})^{2} - 2\bar{w}_{0}^{2} \right]$$
(2.34)



Comparison of Critical Impulse Pressures for Buckled Beams and Shallow Arches Fig. 6.

The solution of Eq.(2.34) is periodic and may be expressed as

$$T = \frac{\sqrt{2}}{\bar{w}_{10}^{+\bar{w}_{0}}} F \left\{ \sin^{-1} \sqrt{2 \left[1 - \left(\frac{\bar{w}_{0}}{\bar{w}_{10}^{+\bar{w}_{0}}} \right)^{2} \right]}, \sin^{-1} \sqrt{\frac{1 - \left(\frac{\bar{w}_{1}^{+\bar{w}_{0}}}{\bar{w}_{10}^{+\bar{w}_{0}}} \right)^{2}}{1 - \left(\frac{\bar{w}_{0}}{\bar{w}_{10}^{+\bar{w}_{0}}} \right)^{2}}} \right\}$$
(2.35a)

if $\bar{w}_{10} < (\sqrt{2} - 1)\bar{w}_{0}$, and

$$T = \frac{1}{\sqrt{(\bar{w}_{10} + \bar{w}_{0})^{2} - \bar{w}_{0}^{2}}} F \left\{ \sin^{-1} \frac{1}{\sqrt{2 \left[1 - \left(\frac{\bar{w}_{0}}{\bar{w}_{10} + \bar{w}_{0}} \right)^{2}} \right]}}, \cos^{-1} \frac{\bar{w}_{1} + \bar{w}_{0}}{\bar{w}_{10} + \bar{w}_{0}} \right\}$$
(2.35b)

if $\bar{w}_{10} > (\sqrt{2} - 1)\bar{w}_0$, where $F(\alpha, \phi)$ is an elliptic function of the first kind. The nondimensional period of vibration is then

$$\Delta T = \frac{2\sqrt{2}}{\bar{w}_{10}^{+}\bar{w}_{0}} \quad K \left\{ \sin^{-1} \sqrt{2 \left[1 - \left(\frac{\bar{w}_{0}}{\bar{w}_{10}^{+}\bar{w}_{0}} \right)^{2} \right]} \right\}$$
 (2.36a)

if $\bar{w}_{10} \le (\sqrt{2} - 1)\bar{w}_0$ and

$$\Delta T = \frac{2}{\sqrt{\bar{w}_{10}^{+}\bar{w}_{0}^{2}^{2} - \bar{w}_{0}^{2}}} \left\{ \sin^{-1} \frac{1}{\sqrt{2 \left[1 - \left(\frac{\bar{w}_{0}}{\bar{w}_{10}^{+}\bar{w}_{0}} \right)^{2}} \right]} \right\}$$
 (2.36b)

if $\bar{w}_{10} \ge (\sqrt{2}-1)\bar{w}_0$, with $K(\alpha)$ the complete elliptic function of the first kind. Since the nondimensional period ΔT is 2π for a straight unloaded simply supported beam, the frequency ratio may be written as

$$\frac{f}{f_0 \bar{w}_0} = \frac{\pi}{\sqrt{2}} \left(1 + \frac{\bar{w}_{10}}{\bar{w}_0} \right) / K \left\{ \sin^{-1} \sqrt{2 \left[1 - \frac{1}{\left(1 + \frac{\bar{w}_{10}}{\bar{w}_0} \right)^2} \right]} \right\}$$
 (2.37a)

for $\bar{w}_{10}/\bar{w}_0 < \sqrt{2}-1$, and


$$\frac{f}{f_0 \tilde{w}_0} = \pi \sqrt{\left(1 + \frac{\tilde{w}_{10}}{\tilde{w}_0}\right)^2 - 1} / K \left\{ \sin^{-1} \frac{1}{\sqrt{2\left[1 - \frac{1}{\left(1 + \frac{\tilde{w}_{10}}{\tilde{w}_0}\right)^2}\right]}} \right\} (2.37b)$$

for $\bar{w}_{10}/\bar{w}_0 > \sqrt{2}-1$. The results of these equations are shown graphically in Fig. 7. Note that the frequency vanishes when \bar{w}_{10}/\bar{w}_0 is equal to $\sqrt{2}-1$, but is extremely sensitive to amplitude of vibration. Identical results are implied by the analysis of reference 2 for clamped buckled beams.

If \bar{w}_{10}/\bar{w}_0 is less than $\sqrt{2}-1$, the beam oscillates about the buckled position with the minimum amplitude given by the value of \bar{w}_1 for which the argument of the elliptic integral in Eq.(2.35a) becomes equal to 90°. Then

$$\frac{\bar{w}_{1}_{\min}}{\bar{w}_{0}} = \sqrt{2 - \left(1 + \frac{\bar{w}_{10}}{\bar{w}_{0}}\right)^{2} - 1}$$
 (3.38)

For $\bar{w}_{10}/\bar{w}_0 > \sqrt{2}-1$, the beam oscillates about the straight beam axis with its



Variation of Fundamental Frequency of Buckled Beam with Maximum Amplitude of Vibration Fig. 7.

计分配计划分数分割服务员的复数形式员会的复数形式的对对对国际人员的国际企业的经验的企业的企业的经验的企业的经验的企业的经验的企业的企业的企业的企业的企业的企业的

maximum negative deflection from the horizontal equal to the maximum positive deflection. These results have been derived in somewhat different form in references 5 to 8. The present form of the results is more compact, however.

Chapter 3

DYNAMIC STABILITY OF INITIALLY BUCKLED BEAMS UNDER UNIFORN RANDOM PRESSURE

An important consideration in the study of critical random loading of initially buckled beams is the definition of what constitutes instability and the method of calculation of that critical loading. If it is supposed that for low levels of spectral density of loading the beam vibrates about its buckled equilibrium position while at high levels of spectral density the beam snaps-through repeatedly and vibrates about its straight zero-deflection position, then presumably there is a critical value or range of spectral density value for which snap-through is first initiated.

In reference 2 the similar problem of snap-through of a shallow circle under random loading was studied by means of a one term approximation to the deflection function. With such an approximation it is possible to draw curves of constant energy and to define a critical value of energy which divides stable and unstable regions. The structure is then said to become unstable when the energy content, the sum of kinetic energy and strain energy of the structure, becomes equal to or exceeds this critical value. When many terms are considered an energy criterion is not readily discernible. Thus an alternate definition of instability is taken herein as the center deflection of the beam becoming less than zero. Such a criterion is implicit in the derivation of critical pressures for beams subjected to step-loading and impulse loading.

With this definition of instability it becomes necessary to integrate the equations of motion of the beam. The equations of motion for symmetric motion of a simple supported beam are given by Eqs.(1.11) as

$$\frac{d^2\bar{w}_m}{dT^2} + \bar{\mu}\frac{d\bar{w}_m}{dT} + [(2m-1)^2 - N](2m-1)^2(\bar{w}_m + \bar{w}_0 \delta_{m1})$$

$$= -\frac{\bar{p}}{2m-1} \qquad m = 1, 2, 3, \dots \qquad (3.1a)$$

$$\bar{N} = \bar{N}_0 + \frac{1}{4}\bar{w}^2 - \frac{1}{4}\sum_{n=1}^{\infty} (2n-1)^2 (\bar{w}_n + \bar{w}_0 \delta_{n1})^2$$
 (3.1b)

To integrate these nonlinear equations of motion, a fourth-order Runge-Kutta method of numerical integration (reference 13) was used. A random loading function having a Gaussian distribution with a mean of zero and a specified deviation $\bar{\sigma}_0$ was generated. The loading function consists of steps which are constant over a given constant increment of time ΔT . A typical generated time history of loading is shown in Fig. 8. The statistics of the distribution have been studied in references 2 and 14 from which the value of the power spectral density parameter can be determined as

$$\ddot{S}_0 = \bar{\sigma}_0^2 \Delta T \tag{3.2}$$

AND TENNEST POSTER OF PROPERTY OF PROPERTY OF PROPERTY OF THE SECOND OF

In the numerical integration process, the constant integration time step was taken as some integral division of ΔT , generally $\Delta T/5$. The number of terms in the Fourier series expansion of the deflection function was taken as three in all cases.




Fig. 8. Typical Generated Random Pressure Variation with Time

DOT LECENTA THE CONTROL OF THE PROPERTY OF THE PROPERTY OF THE CONTROL OF THE CON

In the analysis of the response of a structure to random loading, the results obtained can only be presented in the form of probability distributions of certain events or as averages of certain quantities. A specific response case is of interest only for its contribution to the probability distribution or average rather than for the details. This is illustrated in Fig. 9 where three different response-time histories are shown for different loadings having the same power spectral density. One case snaps from one buckled position to the other repeatedly within three periods of lowest unstressed beam frequency, another meanders and snaps through only at the end of the third period, while the third exhibits an intermediate behavior. A first attempt at obtaining crucial data was to calculate probability curves for first snap-through of initially buckled beams, the so-called "first passage" problem.

3.1 <u>Monte-Carlo Determination of First Snap-Through</u> Probability

The technique used to obtain probability curves for the time required for snap-through to occur was to assign a value of the buckle amplitude $\bar{\mathbf{w}}_0$, the time step ΔT , the damping coefficient $\bar{\mu}$, the mean load value $\bar{\mathbf{p}}_0$, taken as 0.0 in all calculations, the standard deviation of the load history $\bar{\sigma}_0$, and an arbitrary "seed" value IX, an integer having ten or fewer digits. The equations of motion were integrated until the total center deflection changed sign or until the maximum value of time that was chosen to be considered was reached. The time interval in which this occurred was recorded. The random number generated "seed" value at this time was then used as the starting point for the next run. This procedure was repeated 6000 times




Fig. 9. Typical Response-Time Histories for a Beam Subjected to Different Loadings having the same Power Spectral Density

for each set of values of the parameters. In all cases, the initial values of the Fourier sereis terms and their first time derivative were taken as zero. The end result of these runs was a probability versus time curve for "snap-through" occurring in less than the stated time for a particular set of parameters. The self-contained computer program for this process is given in Appendix A.

In Fig. 10 and Table 1 are shown the results obtained for zero damping and various values of the initial buckle amplitude ratio \tilde{w}_0 and power spectral density parameter \tilde{S}_0 . Although the curves were obtained for ΔT equal to 0.10 in all cases, the probability curves for other values of ΔT and $\tilde{\sigma}$ yielding the same value of \tilde{S}_0 should be similar as indicated by the results shown in Table 2. The variation of the probability of snap-through occurring in less than a given time for a beam with a given buckle amplitude increases, of course, as the power spectral density increases.

The results of Fig. 10 do not readily indicate any relationships between the sets of curves for various values of initial buckle amplitude $\bar{\mathbf{w}}_0$. These relationships, however, may be deduced from consideration of Eqs.(2.1) when only one term is retained in the infinite series, i.e.,

$$\frac{d^2 \bar{w}_1}{dT^2} + \mu \frac{d\bar{w}_1}{dT} + \frac{1}{4} \bar{w}_1 (\bar{w}_1 + \bar{w}_0) (\bar{w}_1 + 2\bar{w}_0) = -\bar{p}$$
 (3.3a)

els a sa comenciones de l'especte de l'especte de l'ambigne de la comencion de l'ambigne de la comencione de l

If Eq.(3.3a) is divided by $\bar{\mathbf{w}}_0^3$ the following is obtained

$$\frac{d^{2}\frac{\bar{w}_{1}}{\bar{w}_{0}}}{d(w_{0}T)^{2}} + \frac{\mu}{w_{0}}\frac{d\frac{\bar{w}_{1}}{w_{0}}}{d(w_{0}T)} + \frac{1}{4}\frac{\bar{w}_{1}}{\bar{w}_{0}}\left(\frac{\bar{w}_{1}}{\bar{w}_{0}} + 1\right)\left(\frac{\bar{w}_{1}}{\bar{w}_{0}} + 2\right) = -\frac{\bar{p}}{\bar{w}_{0}^{3}}$$
(3.3b)




Fig. 10. Uncorrelated Snap-Through Probability Curves

Table 1. Monte-Carlo Results for Probability Curves of Figure 9 ($\Delta T = 0.1$, $\bar{\mu} = 0.0$)

i de la companya de	0.25	P(T _{cr} <t)< th=""><th>0.000</th><th>0.00</th><th>0.013</th><th>0.073</th><th>0.134</th><th>0.197</th><th>0.254</th><th>0.324</th><th>0.396</th><th>0.477</th><th>0.546</th><th>0.600</th><th>0.651</th><th>0.693</th><th>0.730</th><th>0.764</th><th>0.793</th><th>0.817</th><th>0.844</th><th>0.862</th></t)<>	0.000	0.00	0.013	0.073	0.134	0.197	0.254	0.324	0.396	0.477	0.546	0.600	0.651	0.693	0.730	0.764	0.793	0.817	0.844	0.862
		*	0		2	357	394	351	341	420	435	484	416	321	308	252	219	203	178	141	162	112
	0.5	P(T _{cr} <t)< td=""><td>0.000</td><td>0.018</td><td>0.137</td><td>0.236</td><td>0.302</td><td>0.384</td><td>0.485</td><td>0.586</td><td>0.669</td><td>0.733</td><td>0.783</td><td>0.826</td><td>0.858</td><td>0.886</td><td>0.905</td><td>0.921</td><td>0.937</td><td>0.948</td><td>0.959</td><td>0.968</td></t)<>	0.000	0.018	0.137	0.236	0.302	0.384	0.485	0.586	0.669	0.733	0.783	0.826	0.858	0.886	0.905	0.921	0.937	0.948	0.959	0.968
		ž	0	170	649	597	8	487	909	608	497	381	304	255	193	170	112	96	96	20	63	56
6	1.0	$P(T_{cr} < T)$		0.161																		
		*		963	846	539	540	743	658	484	308	229	177	137	6 8	72	54	35	37	24	13	19
	2.0	$P(T_{Cr} < T)$	0.049	0.318	0.430	0.560	0.701	0.804	0.874	0.919	0.947	0.961	0.974	0.983	0.988	0.992	0.994	966.0	0.998	0.998	0.999	0.999
		ž	296	1613	899	782	847	618	420	272	164	98	79	51	53	56	11	91	6	က	4	
	>	5	•	2.0	•	•	•	•	•	•			•		•		S.	ė	7		6	5
	^ .	טֿ		1.0	•	•	•	•	•	•	•			•	•	·	•	'n.	6		φ.	တ်

*Total number of cases = 6000

Table 1: Continued

(b)
$$\hat{w}_0 = 1.0$$

			, 1		' 0	1		·	
^	∨		4.0		2.0		1.0		0.5
ັ້ນ	5	æ	P(T _{Cr} <t)< th=""><th>z</th><th>P(T_{Cr}<t)< th=""><th>×</th><th>P(T_{Cr}<t)< th=""><th>×</th><th>P(T_{Cr}<t)< th=""></t)<></th></t)<></th></t)<></th></t)<>	z	P(T _{Cr} <t)< th=""><th>×</th><th>P(T_{Cr}<t)< th=""><th>×</th><th>P(T_{Cr}<t)< th=""></t)<></th></t)<></th></t)<>	×	P(T _{Cr} <t)< th=""><th>×</th><th>P(T_{Cr}<t)< th=""></t)<></th></t)<>	×	P(T _{Cr} <t)< th=""></t)<>
		296	0.049	က	0.001	0	0.000	0	0000
	•	1586	0.314	875	0.146	98	0.016	0	0.00
•		1080	0.494	828	0.289	538	0.106	33	900.0
3.0	4.0	1268	0.705	1040	0.463	589	0.204	156	0,032
	•	662	0.815	837	0.602	675	0.317	191	0.063
	•	461	0.892	969	0.718	752	0.442	326	0.118
	•	235	0.931	471	0.797	615	0.545	437	0.191
•	•	139	0.955	350	0.855	484	0.625	436	0.263
•	•	121	0.975	237	0.895	415	0.694	376	0.326
		55	0.984	174	0.924	321	0.748	315	0.378
		45	0.991	129	0.945	273	0.793	331	0.434
		19	0.995	101	0.961	219	0.830	293	0.482
•	•	14	0.997	19	0.972	187	0.861	282	0.529
•	•	2	0.998	8	0.980	158	0.887	274	0.575
•		10	0.999	4	0.987	106	0.905	268	0.620
•	•	~	1.000	27	0.992	105	0.923	232	0.658
٠	•	0	1.000	19	0.995	8	0.938	138 138	0.690
		r-4	1.000	ß	0.997	29	0.949	171	0.719
		H	1.000	10	0.997	9	0.959	197	0.751
19.0	20.0	0	1.000	4	0.998	42	996.0	157	0.778

Table 1: Continued

(c) $\vec{w}_0 = 2.0$

1			i																			
	1.0	P(T _{Cr} <t)< td=""><td>000.0</td><td>0.00</td><td>0.00</td><td>0.001</td><td>0.001</td><td>0.004</td><td>0.011</td><td>0.022</td><td>0.039</td><td>0.059</td><td>0.081</td><td>0.102</td><td>0.133</td><td>0.161</td><td>0.192</td><td>0.226</td><td>0.257</td><td>0.288</td><td>0.319</td><td>0.350</td></t)<>	000.0	0.00	0.00	0.001	0.001	0.004	0.011	0.022	0.039	0.059	0.081	0.102	0.133	0.161	0.192	0.226	0.257	0.288	0.319	0.350
	_	N	0	0	0	4	4	16	40	63	102	122	131	130	182	168	190	200	185	187	186	188
	12	P(T _{cr} <t)< td=""><td>0.000</td><td>0.00</td><td>0.005</td><td>0.014</td><td>0.014</td><td>0.064</td><td>0.104</td><td>0.149</td><td>0.207</td><td>0,259</td><td>0.309</td><td>0.355</td><td>0.404</td><td>0.450</td><td>0.494</td><td>0.533</td><td>0.569</td><td>0.603</td><td>0.633</td><td>0.663</td></t)<>	0.000	0.00	0.005	0.014	0.014	0.064	0.104	0.149	0.207	0,259	0.309	0.355	0.404	0.450	0.494	0.533	0.569	0.603	0.633	0.663
		N	0	0	13	89	89	170	238	272	344	317	297	275	238	576	259	234	221	199	181	184
	2.0	P(T _{Cr} <t)< td=""><td></td><td>•</td><td>•</td><td>•</td><td></td><td>•</td><td>•</td><td>0.402</td><td>•</td><td>•</td><td>•</td><td>•</td><td></td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>0.880</td></t)<>		•	•	•		•	•	0.402	•	•	•	•		•	•	•	•	•	•	0.880
		z	0	56	147	431	431	454	510	481	427	384	328	290	252	234	217	178	170	142	134	108
'	4.0	P(T _{cr} <t)< td=""><td></td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>0.827</td><td>•</td><td></td><td></td><td>•</td><td>•</td><td>•</td><td>•</td><td></td><td>•</td><td></td><td>0.995</td><td>0.995</td></t)<>		•	•	•	•	•	•	0.827	•			•	•	•	•		•		0.995	0.995
		Z	2	610	1083	1093	1093	637	511	354	261	200	175	101	35	59	41	22	25	19	13	r.
	8.0	P(T _{cr} <t)< td=""><td></td><td>•</td><td></td><td>•</td><td>•</td><td></td><td></td><td>0.975</td><td>•</td><td></td><td>•</td><td></td><td>•</td><td></td><td></td><td></td><td></td><td></td><td>•</td><td>•</td></t)<>		•		•	•			0.975	•		•		•						•	•
		z	277	1665	1682	1021	518	343	231	110	99	41	19	12	9	m		~	~	C)	0
	٦ ^٢		1 4	•				•	•		•		-	2		4	2		1	0	6	20.0
	۲,								•					-		ζ,	4	'n	9	·	ά	19.0

Comparison of Probability Values Obtained using Different Time Steps $\vec{w}_0 = 1.0, \ \vec{\mu} = 0.0$ Table 2:

	√2	0.05	P(T _{Cr} <t)< th=""><th>0.000 0.104 0.322 0.322 0.451 0.556 0.636 0.810 0.810 0.877 0.933 0.944 0.955</th></t)<>	0.000 0.104 0.322 0.322 0.451 0.556 0.636 0.810 0.810 0.877 0.933 0.944 0.955
			22	102 523 523 523 771 771 632 292 227 227 124 1129 87 65 65
0.	1.0	0.10	P(T _{Cr} <t)< td=""><td>0.000 0.106 0.106 0.317 0.317 0.545 0.625 0.793 0.793 0.923 0.923 0.923 0.959</td></t)<>	0.000 0.106 0.106 0.317 0.317 0.545 0.625 0.793 0.793 0.923 0.923 0.923 0.959
			z	98 538 538 589 675 752 615 484 415 321 273 273 273 273 273 273 273 273 273 273
	2√2	0.05	P(T _{Cr} <t)< td=""><td>0.003 0.147 0.284 0.447 0.612 0.861 0.932 0.953 0.985 0.993 0.995 0.996 0.996</td></t)<>	0.003 0.147 0.284 0.447 0.612 0.861 0.932 0.953 0.985 0.993 0.995 0.996 0.996
 0.4			z	863 863 871 978 993 993 84 129 129 129 77
)	2.0	0.10	P(T _{cr} <t)< td=""><td>0.001 0.146 0.289 0.453 0.797 0.985 0.987 0.987 0.992 0.992 0.998 0.998</td></t)<>	0.001 0.146 0.289 0.453 0.797 0.985 0.987 0.987 0.992 0.992 0.998 0.998
,			æ	3 875 875 875 875 877 837 837 174 174 174 174 174 174 174 174 175 110 101 101 101 101 101
0	•	-		11.0 2.0 3.0 4.0 7.0 7.0 10.0 113.0 115.0 115.0 115.0 115.0 115.0
s ₀	ם י	, V		0.0 3.0 3.0 6.0 6.0 12.0 13.0 14.0 15.0

Since the first term predominates in the series, the above equation indicates that initially buckled beams having the same modified loading function \tilde{p}/\tilde{w}_0^3 as a function of modified time \tilde{w}_0^T will have nearly identical deflection ratios \tilde{w}_1/\tilde{w}_0 as a function of \tilde{w}_0^T . Since the deviation $\tilde{\sigma}_0$ of the random loading is a measure of the load intensity, these results suggest that random loadings having the same spectral density value of

$$\frac{\bar{\sigma}_0}{\bar{w}_0^3} = \frac{\bar{\sigma}_0^2 \Delta T}{\bar{w}_0^5} = \frac{\bar{s}_0}{\bar{w}_0^5}$$
 (3.4)

should yield nearly identical probability curves as a function of $\mathbf{w}_0\mathsf{T}$.

That this conclusion is reasonably correct is indicated by the curves of Fig. 10 replotted in Fig. 11. The various curves show a monotonic increase of probability fucntion as the parameter $\bar{\sigma}_0^2 \Delta T/\bar{w}_0^5$ increases. Only two of the sets of values for different values of \bar{w}_0 yield the same value of the modified spectral density parameter, (a) $\bar{w}_0 = 0.5, \bar{\sigma}_0 = 0.25, \Delta T = 0.1$ and (b) $\bar{w}_0 = 2, \bar{\sigma}_0 = 8, \Delta T = 0.1$. Where the data for the two sets of values overlap, the values are virtually identical. A comparison of the results is given in Table 3.

The effect of damping on the probability curves is indicated by the results given in Table 4 and Fig. 12 where probability values for a beam with an initial buckle amplitude ratio of 1.0 subjected to loadings having the same power spectral density parameter are shown by the solid curves. The results indicate that small damping has little effect on the probability of first snap-through although increasing damping significantly reduces the probability of snap-through. The one term equation of motion,




Fig. 11. Correlated Probability Curves

Table 3: Comparison of Correlated Probability Data $\bar{\mu}$ = 0.0, ΔT = 0.1

	$\bar{w}_0 = 0.5$ $\bar{\sigma}_0 = 0.25$	w ₀ = 2 σ ₀ = 8
₩ _O T	P(T _{cr} <t)< td=""><td>P(T_{cr}<t)< td=""></t)<></td></t)<>	P(T _{cr} <t)< td=""></t)<>
2.0	0.073	0.046
4.0	0.324	0.324
6.0	0.600	0.604
8.0	0.764	0.774
10.0	0.862	0.861

Table 4. Monte-Carlo Results for Probability Curves of Figure 1 \vec{w}_0 = 1.0, $\vec{\sigma}_0$ = 1.0, ΔT = 0.1

					_	_			-	_	_	_		_			_		_	_		
	1.00	$P(T_{cr} < T)$	0.000	0.000	0.003	0.013	0.023	0.038	0.053	0.00	0.089	0.109	0.127	0.146	0.164	0.178	0.193	0.211	0.224	0.241	0.256	0.269
		×N	0	0	16	61	62	88	68	103	117	117	110	115	105	8	83	108	85	100	26	79
	0.50	P(T _{Cr} <t)< td=""><td>0.000</td><td>0.002</td><td>0.025</td><td>0.061</td><td>p.102</td><td>0.148</td><td>0.198</td><td>0.250</td><td>0.296</td><td>0.340</td><td>0.380</td><td>0.417</td><td>0.447</td><td>0.483</td><td>0.510</td><td>0.533</td><td>0.561</td><td>0.588</td><td>0.614</td><td>0.636</td></t)<>	0.000	0.002	0.025	0.061	p.102	0.148	0.198	0.250	0.296	0.340	0.380	0.417	0.447	0.483	0.510	0.533	0.561	0.588	0.614	0.636
		*N	0	6	143	214	245	277	297	313	279	292	242	222	177	218	159	143	163	166	157	130
1-31	0.10	P(T _{cr} <t)< td=""><td>0.000</td><td>0.012</td><td>0.087</td><td>0.165</td><td>0.257</td><td>0.371</td><td>0.469</td><td>0.546</td><td>0.613</td><td>0.672</td><td>0.718</td><td>0.759</td><td>0.792</td><td>0.824</td><td>0.850</td><td>0.872</td><td>0.893</td><td>0.908</td><td>0.924</td><td>0.936</td></t)<>	0.000	0.012	0.087	0.165	0.257	0.371	0.469	0.546	0.613	0.672	0.718	0.759	0.792	0.824	0.850	0.872	0.893	0.908	0.924	0.936
		*	0	73	446	471	549	684	589	461	404	356	277	242	197	193	155	134	126	92	93	73
	0.01	P(T _{Cr} <t)< td=""><td>0.000</td><td>0.017</td><td>0.108</td><td>0.202</td><td>0.308</td><td>0.438</td><td>0.543</td><td>0.625</td><td>0.694</td><td>0.745</td><td>0.788</td><td>0.826</td><td>0.857</td><td>0.882</td><td>0.901</td><td>0.919</td><td>0.935</td><td>0.945</td><td>0.957</td><td>996.0</td></t)<>	0.000	0.017	0.108	0.202	0.308	0.438	0.543	0.625	0.694	0.745	0.788	0.826	0.857	0.882	0.901	0.919	0.935	0.945	0.957	996.0
		*N	0	103	545	266	635	9//	635	488	415	304	292	226	185	149	117	110	91	62	711	54
	0.00	P(T _{Cr} <t)< td=""><td>0.000</td><td>0.016</td><td>0.106</td><td>0.204</td><td>0.317</td><td>0.442</td><td>0.545</td><td>0.625</td><td>0.694</td><td>0.748</td><td>0.793</td><td>0.830</td><td>0.861</td><td>0.887</td><td>0.905</td><td>0.923</td><td>0.938</td><td>0.949</td><td>0.959</td><td>996.0</td></t)<>	0.000	0.016	0.106	0.204	0.317	0.442	0.545	0.625	0.694	0.748	0.793	0.830	0.861	0.887	0.905	0.923	0.938	0.949	0.959	996.0
		**	0	8	538	589	675	752	615	484	415	321	273	219	187	158	106	105	96	29	09	42
	T _{cr}	-	1 •	2.0	•	•		•	•		•	٠	•	•		r		•		•		
	٦,			1.0																		

* Total number of cases = 5000




Fig. 12. Effect of Damping in Probability Curves

Eq.(3.3b), indicate that these curves should be nearly identical for beams of different initial buckle amplitudes $\bar{\mathbf{w}}_0$ having the same value of $\bar{\sigma}_0/\bar{\mathbf{w}}_0^3$ $\bar{\mathbf{w}}_0\Delta T$, and $\bar{\mu}/\bar{\mathbf{w}}_0$. Results calculated for beams with values of $\bar{\mathbf{w}}_0$ equal to 2 and 10 and with appropriate values of σ_0 and $\bar{\mu}$ are given in Table 5 and are shown in Fig. 13. The agreement between the various results is quite satisfactory.

A further correlating parameter for these results is suggested by the investigation of reference 15 where the primary white noise spectral density parameter \bar{S} can be shown to be related to the simulation parameters by

$$\bar{S} = \frac{\bar{\sigma}_0^2 \Delta T}{8\bar{\mu}}$$

In reference 15 the results were found to be insensitive to the additional parameter $\bar{\mu}$. It is possible then that beams of different initial amplitudes having the same value of

$$\frac{1}{8} \left(\frac{1}{\bar{w}_0^3} \right)^2 \frac{\bar{w}_0^{\Delta T}}{\bar{\mu}/\bar{w}_0} = \frac{\bar{\sigma}_0^2 \Delta T}{8\bar{w}_0^4 \bar{\mu}} = \frac{\bar{S}}{\bar{w}_0^4}$$

would have similar probability curves as a function of \bar{w}_0T . Additional results given in Table 5 and shown in Fig. 13 indicate that this correparameter is not valid, however, since the curves of Fig. 13 although coinciding quite well with the corresponding curve of Fig. 12. In Fig. 12 the results indicate that beams with values of \bar{S}/\bar{w}_0^4 from 1.25 to ∞ should have identical probability curves. This same result is apparent in Fig. 13. In Fig. 12, however, the value of $\bar{\sigma}_0^2 \Delta T/\bar{w}_0^5$ is equal to 0.1 whereas in Fig. 13 the value of $\bar{\sigma}_0^2 \Delta T/\bar{w}_0^5$ is equal to 1. Thus $\bar{\sigma}_0^2 \Delta T/8\bar{w}_0^4 \bar{w}_0^4$

Table 5: Additional Monte-Carlo Results Illustrating Correlation Parameters

W ₀ =1	σ=1 ΔT=1 μ=0.01	29 0.005 1478 0.251 830 0.390 1186 0.581 822 9.724 563 0.817 238 0.917 107 0.965 81 0.979 42 0.986 26 0.990 7 0.996	0000
	= 1000 AT = 0.01	0.000 0.050 0.050 0.161 0.453 0.574 0.731 0.735 0.859 0.833 0.934 0.934	0.962 0.971 0.985
	$\tilde{\sigma_0}^{\text{E}}$ $\tilde{\mu} = 0.1$	10 288 667 667 878 878 872 728 518 518 285 219 119 119	73 44 39
	: 10 AT = 0.1	0.005 0.164 0.325 0.499 0.678 0.912 0.944 0.987 0.995 0.995	
₩ ₀ = 10	$\tilde{q}_0^{\rm r} = 1.0$	27 954 1045 1074 729 394 281 120 87 21 21 26	82
13	1000 ΔT = 0.1	0.006 0.179 0.352 0.352 0.721 0.840 0.935 0.935 0.993 0.996 0.998	
	σ ₀ = μ = 0.1	35 1039 1037 1135 1081 710 353 220 162 81 71 34 18	0000
	1000 AT = 0.1	0.000 0.000 0.000 0.035 0.121 0.172 0.225 0.320 0.320 0.364 0.399 0.473	
	ου μ = 5.0	245 272 272 305 305 308 308 263 203 203 188 176	190 144 159 154
V 1-0	င် ၁	2.0 2.0 3.0 5.0 7.0 8.0 10.0 11.0 11.0 11.0	
^ 	to O	0.0 1.0 3.0 7.0 7.0 10.0 11.0 13.0 15.0	

Table 5: Continued

₩ ₀ T _{cr} >	w̄ ₀ T _{cr} <	l .	$\bar{w}_0 = 2$ $\Delta T = 0.05 \ \bar{\sigma}_0 = 8$
		N	P(T _{cr} <t)< th=""></t)<>
0.0	2.0	80	0.013
2.0	4.0	1087	0.195
· · · · · · · · · · · · · · · · · · ·	6.0	1477	0.441
6.0	8.0	1154	0.633
8.0	10.0	721	0.753
~ 10.0	12.0	482	0.834
12.0	14.0	332	0.889
14.0	16.0	213	0.924
16.0	18.0	140	0.948
18.0	20.0	121	0.968




Fig. 13. Effect of Various Parameter Values on Probability Distributions

THE THE PROPERTY OF THE PROPER

and $\bar{\sigma}_0^2\Delta T/\bar{w}_0^5$ are apparently separate parameters which define the probability curves. The curves of Fig. 11 for $\bar{\mu}$ equal to 0 are thus upper bounds to the probability curves for beams with other values of $\bar{\mu}$ and should be valid for values of the modified spectral density parameter \bar{s}_0/\bar{w}_0^4 greater than about 1.

Although the results indicate that small damping has little effect on the probability of first snap-through, small amounts of damping do, however, have a significant effect on the response history. In Fig. 14 the response of beams having a buckle amplitude ratio of 1.0 but different values of the damping parameter and subjected to the same load history is shown. For no damping the beam vibrates violently with increasing amplitude and increasing frequency, a phenomenon which is in accord with the approximate variation of frequency with amplitude derived in Section 2.4. Small amounts of damping decrease the amplitude of vibration although the beam continues to snap back and forth. Finally sufficiently large damping causes the beam to snap-through once after which it vibrates about the buckled equilibrium positions on the opposite side of the straight axis. If the load were to be applied for a longer period the beam would undoubtedly snap back and forth but with a longer time interval between the event.

The axial load in the beam while this response occurs is shown in Fig. 15. With no damping the axial load eventually changes very rapidly from compression to tension and back. Increasing amounts of damping tend to smooth out the axial load variation.





Fig. 14. Effect of Damping in Response-Time History



THE RESIDENCE OF THE PASSAGE STATES OF THE P

Fig. 15. Effect of Damping in Axial Load-Time History

The foregoing results suggest that while probability curves of first snap-through may be of interest they are of little use in determining critical ranges of spectral density parameter since these are presumably defined by zero or small probability of first snap-through over an infinite or sufficiently large time range. The calculations needed to produce this information are quite costly since numerical integration of a large number of cases over a very long time period would be required. In addition, probability curves do not indicate any qualitative information about the intensity of the snap-through motion. The results of snap-through events separated by long intervals of time during which relatively small oscillations about one of the two buckled equilibrium positions occurs will, of course, be of much less importance from the point of view of fatigue life than frequent and large oscillations from one buckled position to the other. An alternate calculation procedure yielding averages was therefore considered next as offering the possibility of more useful information.

3.2 Calculation of Average Snap-Through Frequency

In the previous section an attempt was made to determine a critical snap-through spectral density parameter based on a calculation of the spectral density parameter for which the probability of snap-through was nearly zero for all time. A description of the behavior of the initially buckled beam can be based on time averages rather than ensemble averages, however. The computer program developed for the Monte-Carlo calculation of probability values was modified, as shown in Appendix B, to calculate the response of a compressed beam, buckled or unbuckled, over any desired

length of time and to obtain time averages of various quantities at stated intervals. The primary object of investigation is the average frequency of snap-through, defined as the number of zero crossings N(T) of the maximum deflection divided by the time T, i.e.,

$$f = \underset{\mathsf{T} \to \infty}{\mathsf{L}} \frac{\mathsf{N}(\mathsf{T})}{\mathsf{T}}$$

The procedure used was to generate the simulated random pressure distribution described in the previous section and to calculate the response by means of a forth-order Runge-Kutta integration of the equations of motion, Eqs.(3.1), using three modes. The number of crossings of the zero axis of the maximum deflection function, both from above and from below, was counted during the calculation procedure. At stated intervals, a time average of the crossing rate was calculated. It was observed that this calculated rate was reasonably constant when the time was sufficiently long, and that different loading sequences led to essentially the same result. Some of the results are shown in Table 6. The time averages shown for \bar{w}_0 equal to 10.0 suggest the calculation of a critical spectral density parameter based on the average frequency vanishing is becoming very small since for $\bar{\sigma_0}$ equal to 10 the average frequency is zero whereas for $\bar{\sigma_0}$ equal to 100 the average frequency of snap-through is 1.56. Additional calculations were made to define curves of average frequency as a function of the spectral density parameter S. These are given in Table 7 where the average zero-crossing frequency at the end of the integrated response is shown for beams of varying initial buckle amplitudes. The maximum final parameter

Table 6: Effect of Seed Value and Maximum Integration Time on Average Zero-Crossing Frequency $\bar{\mu} = \Delta T = 0.1$

		369121518	N(T)/T		0.000		0.000		000.0		0.000		0000
0	10	666666666	N(T)/T		0.000		0.000		00.00		000.0		0.000
10.0	100	369121518	N(T)/T		1.55		1.55		1.54		1.55		1.56
	01	666666666	N(T)/T	1.548	1.579	1.551	1.555	1.556	1.552	1.555	1.547	1.550	1.550
0	Q	123456789	N(T)/T	1.909	1.916	1.926	1.935	1.935			Outro		
1.0	100	666666666	N(T)/T	1.980	1.945	1.947	1.948	1.953	1.957	1.961	1.969	1.957	1.595
13	000	Seed Value	-	3141.6	6283.2	9424.8	12566.4	15708.0	18849.6	21991.2	25132.8	28274.4	31416.0

Variation of Average Crossing Frequency of Response with Various Parameters 0.000 0.001 0.32 0.32 1.31 0.001 0.008 0.012 0.060 0.14 0.63 2.04 3.87 0.17 0.17 0.17 0.87 1.21 3.16 5.83 4.26 0.34 0.68 0.77 0.96 40.00 52.00 100.00 316.23 104.00 104.00 252.98 800.00 2529.82 800.00 316.23 100.00 7.07 9.19 12.73 17.68 22.36 70.71 ۵. ص 0.10 0.10 0.05 0.05 0.20 7 .059 .044 .031 .010 .001 .0001 0.10 0.10 0.20 0.10 13 20.0 10.0 , CO 0.000 0.005 0.062 0.43 1.55 1.297 5.12 0.10 0.000 0.000 0.033 0.14 0.30 0.61 1.10 1.96 1.96 1.93 5.26 5.25 5.25 5.25 5.25 5.25 5.25 0.01 0.10 1.00 10.00 31.62 100.00 316.23 0.10 0.32 1.00 3.16 10.00 31.62 100.00 316.23 10.00 13.00 15.00 18.00 25.00 131.62 100.00 16.00 18.00 10.00 1000.00 ر. 10 $0.10 \\ 0.10$ 0.10 0.10 0.10 0.10 0.10 Z 0.05 1.00 0.10 0.20 0.10 0.10 0.10 13 $(\bar{N}_0 = 0.0)$ Table 7: 2.0 10.0 0.0 1.0 ·¥

COLUMN TO STREET, STRE

used to calcualte the time averages was first taken as 31416.0 (about 5000 uncompressed beam fundamental mode periods. In later calculations T_{max} was reduced to one-half and later to one-quarter of this value since the final result did not change significantly. The first set of results in Table 7 are for an uncompressed beam $(\bar{w}_0 = \bar{N}_0 = 0)$. In this case the average zero-crossing frequency does not vanish as the standard deviation of the loading function becomes small but appears to approach a constant value of about 0.34. It is shown in reference 16 that a nonlinear single-degree-of-freedom system of the Duffing type has an expected zero-crossing frequency equal to the undamped natural frequency of the system. In the present case the beam would have 2 crossings in a value of T equal to 2π so that the expected value of f would be $1/\pi$ or about 0.32 which is very close to the calculated value.

For other values of initial buckle amplitude the results obtained by varying the spectral density parameter of the loading indicate the existence of a critical value below which snap-through does not occur or rarely occurs. The results obtained are plotted as a function of the parameter \bar{S} of reference 15 in Fig. 16.

The results indicate as in the previous section, that the parameter \bar{S} is not the sole parameter that affects the results. Many of the calculations were made for $\bar{\mu}$ at ΔT both equal to 0.1 and varying $\bar{\sigma}_0$, which yield single curves for average frequency as a function of \bar{S} . Additional calculations for \bar{w}_0 equal to 10 and 20, with different values of $\bar{\mu}$ and ΔT yielded curves or points which do not coincide. The curves indicate however, that the critical value of \bar{S} for a beam having a given initial buckle





Fig. 16. Variation on Average Zero-Crossing Frequency with Spectral Density Parameter

amplitude $\bar{\mathbf{w}}_0$ may be relatively insensitive to the variation of the various parameters.

For \bar{w}_0 equal to unity the critical value of \bar{S} , the spectral density parameter, appears to be very small on the order of 10^{-3} , whereas for \bar{w}_0 of 10 the value of \bar{S} increased to about 10 and to about 100 for \bar{w}_0 of 20. These values are roughly in accord with the predictions of the correlating parameter \bar{S}/\bar{w}_0^4 which, if the value of \bar{S} is 10^{-3} for \bar{w}_0 equal to unity, would yield values of 10 for \bar{w}_0 of 10 and 160 for \bar{w}_0 of 20. This conjecture is tested in Fig. 17 where the results for initially buckled beams are replotted. The frequency has been modified by division by \bar{w}_0 , since the results should depend on $\bar{w}_0^{\rm T}$, while the spectral density parameter has been divided by \bar{w}_0^4 . It will be seen that the results for the beams of different initial buckle amplitudes appear to nearly coincide in the vicinity of the critical value of \bar{S}/\bar{w}_0^4 . Thus an estimate of the critical spectral density parameter for snap-through and subsequent oscillation between buckled equilibrium positions is given by

$$\bar{S} = 0.001 \,\bar{w}_0^4$$
 (3.5)



Variation of Modified Zero-Crossing Frequency with Modified Spectral-Density Parameter Fig. 17.

Chapter 4

RMS RESPONSE OF INITIALLY BUCKLED BEAMS UNDER UNIFORM RANDOM PRESSURE

4.1 Numerical Integration Results

Although knowledge of thie critical spectral density of loading is useful, it is also of interest to determine the expected average and root-mean-square (RMS) deflections and stresses of the beam since these affect the fatigue life of the structure. During the integration process which led to the result of the maximum preceding chapter, a record was kept of the RMS deflections and stresses at the beam center. The integrated deflections and stresses and their squares over the time period were calculated using the Simpson's Rule formula (reference 17).

$$\int_{x_0}^{x_{2n}} f(x) dx = \frac{h}{3} [f_0 + 4(f_1 + f_3 + \dots + f_{2n-1}) + 2(f_2 + f_4 + \dots + f_{2n-2}) + f_{2n}]$$
 (4.1)

At stated times the average and RMS deflection and stresses were obtained as

$$<\bar{w}_{\text{max}}^2>^{\frac{1}{2}} = \left[\frac{1}{T}\int_0^T \bar{w}_{\text{max}}^2(\xi)d\xi\right]^{\frac{1}{2}}$$
 (4.2a)

$$<(\bar{\sigma}_{\max}^{\pm})^{\frac{1}{2}} = \left\{\frac{1}{1}\int_{0}^{T} \left[\bar{\sigma}_{\max}^{\pm}(\xi)\right]^{2} d\xi\right\}^{\frac{1}{2}}$$
 (4.2b)

where

$$\bar{w}_{\text{max}} = \sum_{n=1,3,5,...}^{\infty} (-1)^{\frac{n-1}{2}} (\bar{w}_n + \bar{w}_0 \delta_{n1})$$
 (4.3a)

and the stresses at the top and bottom of the beam, considered positive if compression, are given by

$$\bar{\sigma}_{\max}^{\pm} = \bar{N}_0 + \frac{1}{4}\bar{w}_0^2 - \frac{1}{4}\sum_{n=1,3,5,\dots}^{\infty} n^2(\bar{w}_n + \bar{w}_0\delta_{n1})^2$$

$$\pm \frac{h}{r}\sum_{n=1,3,5}^{\infty} (-1)^{\frac{n-1}{2}}n^2(\bar{w}_n + \bar{w}_0\delta_{n1})$$
(4.3b)

It was observed that after a sufficiently long time period the averaged values became reasonably constant. The mean values calculated at the end of the maximum time period considered in each case are tabulated in Table 8. Only the RMS stress having the greatest magnitude is given. For sufficiently large values of the parameter \bar{S} the two values of stress were essentially the same.

The tabulated values are shown by the individual points in Figure 18 and 19 together with some theoretical results, which will be discussed later. The results exhibit remarkably little scatter and thus indicate the very primary importance of the spectral density parameter \tilde{S} and the lesser importance of the damping parameter $\tilde{\mu}$.

The results also indicate, as would be expected, that the effect of initial buckling becomes less important as the spectral density parameter \bar{S} increases. The deflections and stresses are then large enough for the beam behavior to be similar to that of an unbuckled beam under large loading. The RMS deflections appear to first decrease as the spectral density

Table 8: Simulated RMS Values

$\bar{\mathbf{w}}_0$	ā ₀	ΔΤ	μ̈́	Š	$\langle \bar{\mathbf{w}}_{\text{max}}^2 \rangle^{\frac{1}{2}}$	$<\sigma_{\text{max}}^2>^{\frac{1}{2}}$
0	0.01	0.1	0.1	1.25×10^{-3}	0.07	0.13
	1.00	1	1	1.25×10^{-1}	0.60	1.14
	10.00			1.25×10	2.91	7.14
	31.62			1.25×10^{2}	5.27	17.40
	100.00			1.25×10^{3}	9.32	43.07
	316.22			1.25×10^{4}	16.05	106.8
	1000.00	V	V	1.25 × 10 ⁵	25.96	267.1
1	0.01	0.1	0.1	1.25×10^{-3}	0.99	2.71
	0.32	-	1	1.25×10^{-2}	0.91	1.98
	1.00			1.25×10^{-1}	1.11	2.23
	10.00			1.25×10	3.11	7.36
4	31.62		1	1.25×10^2	5.38	17.55
,	100.00			1.25×10^{3}	9.39	44.43
•	, 100.00		V	1.25×10^3	9.38	42.94
,	316.22		1.0	1.25×10^3	9.52	44.18
, , ,	316.22		0.1	1.25×10^4	16.24	108.2
	1000.00	<u> </u>	0.1	1.25 × 10 ⁵	26.19	270.6
2	1000.00	0.1	0.1	1.25 × 10 ⁵	26.21	270.5
10	10.00	0.1	0.2	6.25	9.93	6.29
	10.00	0.1	0.1	1.25×10	9.80	20.68
,	10.00	0.1	0.1	1.25 × 10	9.82	20.52
	7.07	0.2	0.1	1.25×10	9.85	20.15
	10.00	0.1	0.059	2.12×10	9.63	21.91
	9.19	0.2	0.1	2.11×10	9.69	21.37
	13.00	0.1	0.1	2.11×10	9.61	22.23
	15.00	0.1	0.1	2.81 × 10	9.43	23.42
	10.00	0.1	0.144	2.84 × 10	9.41	23.57
	10.00	0.1	0.031	4.03 × 10	9.07	26.23
	12.73	0.2	0.1	4.05×10	9.29	24.41

Table 8: Continued

₩ ₀	ة ₀	ΤΔ	Į.	Š	$\langle \bar{w}_{max}^2 \rangle^{\frac{1}{2}}$	$\langle \tilde{\sigma}_{\text{max}}^2 \rangle^{\frac{1}{2}}$
10	10.00	0.2	0.1	4.05 × 10	9.29	24.41
	17.68	0.2	0.1	7.81 × 10	8.64	29.20
.,	31.62	0.1	0.1	1.25×10^{2}	8.40	33.00
·	100.00	0.1	1.0	1.25×10^{2}	8.60	32.35
	10.00	0.1	0.01	1.25×10^2	8.27	32.52
	22.36	0.2	0.1	1.25×10^{2}	8.46	30.86
	100.00	0.1	0.1	1.25×10^3	10.56	50.77
	100.00	0.1	0.1	1.25×10^3	10.57	52.89
	100.00	0.1	0.1	1.25×10^3	10.52	50.49
	10.00	0.1	0.001	1.25×10^3	8.40	37.52
	70.71	0.2	0.1	1.25×10^3	10.18	42.34
	316.22	0.1	0.1	1.25×10^{4}	16.58	102.4
	10	0.1	0.0001	1.25×10^4	8.26	38.72
	1000	0.1	0.1	1.25×10^5	26.44	263.2
20	80.00	0.05	0.2	2.00×10^2	18.58	63.75
	40.00	0.1	0.1	2.00×10^{2}	18.82	54.47
	52.00	0.1	0.1	3.38×10^2	18.08	63.38
	104.00	0.05	0.2	3.38×10^{2}	17.33	70.82
	60.00	0.1	0.1	4.50×10^{2}	17.39	69.41
	100.00	0.05	0.1	6.25×10^2	16.14	82.15
	144.00	0.05	0.2	6.48×10^{2}	15.94	83.16
•	100.00	0.1	0.1	1.25×10^3	15.81	84.93
	200.00	0.05	0.2	1.25×10^3	15.41	92.45
	252.98	0.05	0.2	2.00×10^3	15.50	98.72
-	316.22	0.05	0.1	6.25×10^3	16.73	118.7
	316.22	0.1	0.1	1.25×10^4	17.98	110.3
*	800.00	0.05		2.00×10^{4}	20.41	153.7
	1000.00	0.05		6.25×10^{4}	24.72	211.8
,	1000.00	0.1	0.1	1.25×10^{5}	24.51	184.3
	2529.82	0.05		2.00×10^5		352.5
	8000.00	0.05		2.00 × 10 ⁶		829.2
50	31.62	0.1	0.1	1.25×10^2	49.91	89.32
	100.00	0.1	0.1	1.25×10^{3}	48.97	106.2




Fig. 18. Comparison of Analytical and Simulated RMS Deflections




Fig. 19. Comparison of Analytical and Simulated RMS Results

parameter increases and to then increase. This phenomenon is explanable as the result of a shift in the average deflection from the buckled position to the unbuckled beam reference axis. The mean position of the buckled beam would tend to shift toward the straight reference axis because of the softening spring characteristic for inward deflections and hardening spring characteristic for outward deflections exhibited in Fig. 2. Unfortunately the few results obtained for the variation of the average deflection with \bar{S} are insufficient to define the shift. The stress behavior is not as consistent, however.

4.2 Approximate Analytical Investigation

The computation effort involved in these calculations is very great, so great as to motivate an approximate analytical treatment of the problem. The method of equivalent linearization (reference 18) which was used in reference 15 for unbuckled beams suggests itself as a possible means of obtaining an approximate solution which can be compared to the numerical integration results for an accuracy check. There are certain complications in the present case, however, The method of equivalent linearization has been applied successfully in cases of nonlinearities which imply a zero mean displacement. In the present case, however, the restoring force is reasonably symmetrical only for small motion about the buckled equilibrium position and for large snap-through motion about the straight reference position. Between these two extremes the mean displacement shifts from the buckled to the unbuckled position.

The two extreme cases are considered herein as providing possible bounds on the RMS displacements and stresses. The method of equivalent linearization involves replacing the nonlinear terms in each of Eqs.(3.1) by an equivalent linear term. The equivalent linear term is determined by requiring that the mean-square error be a minimum. For small motion about the buckled equilibrium position let the nonlinear terms in each of Eqs.(3.1) be replaced by a term of the form $k_m \bar{w}_m$. Then the errors are given by

$$e_{m} = \frac{(2m-1)^{2}}{\left\{ \left[(2m-1)^{2} - \bar{N}_{0} + \frac{1}{2} \bar{w}_{0} \bar{w}_{1} + \sum_{n=1}^{\infty} (2n-1)^{2} \bar{w}_{n}^{2} \right] \bar{w}_{m}} + \bar{w}_{0} \delta_{m1} \left[\frac{1}{2} \bar{w}_{0} \bar{w}_{1} + \sum_{n=1}^{\infty} (2n-1)^{2} \bar{w}_{n}^{2} \right] \right\} - k_{m} \bar{w}_{m} \qquad m = 1, 2, 3, \dots$$
 (4.4a)

Then

$$\frac{\partial < e_{\rm m}^2 >}{\partial k_{\rm m}} = 0 = < e_{\rm m} \frac{\partial e_{\rm m}}{\partial k_{\rm m}} > = < e_{\rm m} w_{\rm m} > \qquad m = 1, 2, 3, \dots$$
 (4.4b)

yielding

$$k_{m} = (2m-1)^{2} \left((2m-1)^{2} - \bar{N}_{0} + \frac{1}{\langle w_{m}^{2} \rangle} \left\{ \frac{1}{2} \cdot \bar{w}_{0} \langle \bar{w}_{1} \bar{w}_{m}^{2} \rangle = \sum_{n=1}^{\infty} (2n-1)^{2} \langle \bar{w}_{m}^{2} \bar{w}_{n}^{2} \rangle + \bar{w}_{0} \delta_{m1} \left[\frac{1}{2} \bar{w}_{0} \langle \bar{w}_{1} \bar{w}_{m}^{2} \rangle + \sum_{n=1}^{\infty} (2n-1)^{2} \langle \bar{w}_{m} \bar{w}_{n}^{2} \rangle \right] \right\} \right) \qquad m = 1, 2, 3, \dots$$

$$(4.4c)$$

Considerations similar to those of reference 12 lead to the following result for white noise

$$k_{m} = (2m-1)^{2} \left[(2m-1)^{2} - \bar{N}_{0} + \frac{1}{2} \bar{w}_{0}^{2} \delta_{m1} + \bar{S} \sum_{n=1}^{\infty} \left(\frac{1}{k_{n}} + \frac{32k_{m}}{D_{mn}^{2}} \right) \right]$$
(4.5a)

with

$$D_{mn} = 2(k_m + k_n) + \frac{1}{\overline{\mu}^2}(k_m - k_n)^2$$
 (4.5b)

The mean-square deflections are then given by

$$< \bar{w}_{\text{max}}^2 > = \bar{w}_0^2 + 16\bar{S} \sum_{m=1}^{\infty} \sum_{n=1}^{\infty} \frac{(-1)^{m+n}}{(2m-1)(2n-1)D_{mn}}$$
 (.46)

which is the sum of the square of the "mean" deflection \mathbf{w}_0 and the mean-square of the deflections with respect to that mean value. The mean-square stresses are given by

$$< (\bar{\sigma}_{max}^{+}) > = \left(\bar{N}_{0} + \bar{w}_{0} + \bar{r} - \bar{s} \sum_{n=1}^{\infty} \frac{1}{k_{n}}\right)^{2}$$

$$+ \bar{s} \left[\frac{\bar{w}_{0}^{2}}{k_{1}} + 16\left(\frac{h}{r}\right)^{2} \sum_{m=1}^{\infty} \sum_{n=1}^{\infty} \frac{(-1)^{m+n}(2m-1)(2n-1)}{D_{mn}} \right]$$

$$+ 16\bar{w}_{0} + \sum_{n=1}^{\infty} \frac{(-1)^{n-1}(2n-1)}{D_{1n}}$$

$$+ 32\bar{s}^{2} \sum_{m=1}^{\infty} \sum_{n=1}^{\infty} \frac{1}{D_{mn}^{2}}$$

$$(4.7)$$

The average stress is not equal to zero but is given by

$$\sigma_{av}^{\pm} = \bar{N}_0 + \bar{w}_0 + \bar{v}_0 + \bar{v}_0$$

Thus the mean-square stress given by Eq. (4.6b) is the sum of the square of the average stress and the mean-square stress with respect to the mean value, i.e.,

$$(\bar{\sigma}_{\max}^{\pm} - \bar{\sigma}_{av}^{\pm})^{2} = \bar{S} \left[\frac{\bar{w}_{0}^{2}}{k_{1}} + 16 \left(\frac{h}{r} \right)^{2} \sum_{m=1}^{\infty} \sum_{n=1}^{\infty} \frac{(-1)^{m+1} (2m-1) (2n-1)}{D_{mn}} \right]$$

$$\pm 16 \bar{w}_{0} \frac{h}{r} \sum_{n=1}^{\infty} \frac{(-1)^{n-1} (2n-1)}{D_{1n}} + 32 \bar{S}^{2} \sum_{m=1}^{\infty} \sum_{n=1}^{\infty} \frac{1}{D_{mn}^{2}}$$

$$(4.9)$$

When motion about a mean straight reference position is considered, the nonlinear terms in Eqs.(3.1) are replaced by equivalent linear expressions $k_m(\bar{w}_m + \bar{w}_0 \delta_{m1})$. The error is then written as

$$\mathbf{e}_{m} = \left\{ (2m-1)^{2} \left[(2m-1)^{2} - \tilde{N}_{0} - \frac{1}{4} \bar{\mathbf{w}}_{0}^{2} + \sum_{n=1}^{\infty} (2n-1)^{2} (\bar{\mathbf{w}}_{n} + \bar{\mathbf{w}}_{0} \delta_{n1})^{2} \right] - k_{m} \right\} (\bar{\mathbf{w}}_{m} + \bar{\mathbf{w}}_{0} \delta_{m1})$$

$$m = 1, 2, 3, \dots \qquad (4.10a)$$

so that the criteria for the determiniation of \boldsymbol{k}_{m} are

$$< e_{m}(w_{m} + \bar{w}_{0}\delta_{m1}) > = 0$$
 $m = 1, 2, 3, ...$ (4.10b)

Thus

$$k_{m} = (2m-1)^{2} \left[(2m-1)^{2} - \tilde{N}_{0} - \frac{1}{4} \tilde{w}_{0}^{2} + \sum_{n=1}^{\infty} (2n-1)^{2} < (\tilde{w}_{m} + \tilde{w}_{0} \delta_{m1})^{2} (\tilde{w}_{n} + \tilde{w}_{0} \delta_{n1})^{2} > (\tilde{w}_{m} + \tilde{w}_{0} \delta_{m})^{2} > \right] \quad m = 1, 2, 3, ...$$
(4.11a)

and for white noise is given by

$$k_{\rm m} = (2m-1)^2 \left[(2m-1)^2 - \tilde{N}_{\rm O} - \frac{1}{4} \tilde{w}_{\rm O}^2 + \tilde{S} \sum_{n=1}^{\infty} \left(\frac{1}{k_{\rm n}} + \frac{32k_{\rm m}}{D_{\rm mn}^2} \right) \right]$$
 (4.11b)

The mean square deflection is now

$$<\bar{w}_{max}^2> = 16\bar{S} \sum_{m=1}^{\infty} \sum_{n=1}^{\infty} \frac{(-1)^{m+n}}{(2m-1)(2n-1)D_{mn}}$$
 (4.12)

while the mean square deflection is given by

$$\langle \vec{\sigma}_{\text{max}}^{2} \rangle = \left(\vec{N}_{0} + \frac{1}{4} \vec{w}_{0}^{2} - \vec{S} \sum_{n=1}^{\infty} \frac{1}{k_{n}} \right)^{2}$$

$$+ 16\vec{S} \left(\frac{h}{r} \right)^{2} \sum_{m=1}^{\infty} \sum_{n=1}^{\infty} \frac{(-1)^{m+n} (2m-1)(2n-1)}{D_{mn}}$$

$$+ 32\vec{S}^{2} \sum_{m=1}^{\infty} \sum_{n=1}^{\infty} \frac{1}{D_{mn}^{2}}$$
(4.13)

which is again the sum of square of the average stress

$$\bar{\sigma}_{av} = \bar{N}_0 + \frac{1}{4}\bar{w}_0^2 - \bar{S}\sum_{n=1}^{\infty} \frac{1}{k_n}$$
 (4.14)

and the mean square stress about this average.

4.3 <u>Comparison of Simulated and Equivalent</u> Linearization Results

Equations (4.5) and (4.11b) were solved by a quadratic iteration process as in reference 15. The results were found to be quite insensitive to the viscous damping parameter $\bar{\mu}$ so that most calculations were made with this parameter taken equal to zero. In this case $1/D_{mn}$ vanishes if m is not equal to n and is equal to $1/4k_{m}$ if m and n are equal. Thus single summations are reduced to a single term while double summations are reduced to single summations, thereby simplifying the computations. Since the numerical integration results involved only three Fourier series terms, the number of terms in the approximate solutions were restricted to three for comparison purposes. The RMS deflections and stresses predicted by Eqs(4.5) and (4.11b) are shown in Figs. 18 and 19 by the solid and dashed curves together with the points obtained by numerical integration.

It will be noted that the deflections obtained by the numerical integration are reasonably bracketed by the two sets of approximate curves. The RMS deflections with respect to the straight reference position approach the static buckle deflection for small excitation and merge with the curve for large snap-through deflections about the straight reference position as the excitation increases. For an unbuckled beam $(\bar{w}_0 = \bar{N}_0 = 0)$ the equivalent linearization results reduce to a single curve. In this case the numerical integration and equivalent linearization results are in very good agreement over a quite large range of the parameter \bar{S} .

The approximate calculations indicate similar RMS deflections from both equations as the spectral density parameter increases. In agreement with the numerical integration results, the deflection for all values of \bar{w}_0 tend to become equal. The equivalent linearization deflections appear to become increasingly larger than those obtained by numerical integration for large \bar{S} . This disagreement is possibly due to use of the method of equivalent linearization beyond its range of applicability (see, however ref.16). Certainly the beam is very highly nonlinear for large deformations. It is also possible that the constant time increment used in the simulation process for the random loading is too large. The average period of vibration about the straight position decreases as the excitation increases, whereas the time increment over which the loading remains constant was not decreased. This could conceivably result in decreased deflections. Additional calculations to prove or disprove this contention would be quite costly, however.

Also shown in Fig. 18 are the critical values of the spectral density parameter \tilde{S} given by Eq.(3.5). The RMS deflections appear to only first depart significantly from the static value at this point rather than an abrupt discontinuity of RMS deflection.

Similar agreement is found for simulated and equivalent linearization results in Fig. 19. There is again a transition of the simulated stresses from those given for vibrations about the buckled position to vibrations about the unbuckled position. The somewhat strange behavior of the appropriate theoretical results consisting of the stresses of the two approximate results crossing for large $\bar{\mathbf{w}}_0$, but not for $\bar{\mathbf{w}}_0$ of unity, is confirmed by

the simulated results. Again the stresses given by equivalent linearization deviate from the simulated results for large \tilde{S} . The approximate results are conservative, however, and are thus useful. Indeed, they may be more reliable for the reasons discussed earlier.

Since convergent stresses require the consideration of a large number of terms, calculations for a parametric study were made with the use of 100 Fourier series terms. The results are presented in Table 9 for vibrations about the static buckled position while results for vibrations about the straight reference position are given in Table 10. The RMS deflection, average stress, and RMS stress with respect to the average are given for \bar{S} stress with respect to the average are given for \bar{S} stress with respect to the average are given for \bar{S} ranging from 10^{-2} to 10^6 for various values of \bar{w}_0 . In Table 9 stress results are presented for both the top and bottom fibers of the beam under the assumption of h/r equal to $\sqrt{3}$ (a rectangular section). For vibrations about the straight position the RMS and average stresses at the top and bottom of a beam symmetrical about the centroidal axis are identical and are tabulated in Table 10 with h/r also equal to $\sqrt{3}$ for that case.

The calculated RMS deflections about the average position are shown graphically in Fig. 20 and exhibit a regular behavior. The results for vibrations about the buckled position indicate as expected that the beam becomes stiffer as the initial buckled amplitude increasing with constant excitation resulting in decreasing RMS deflection. The unbuckled beam becomes less stiff as the axial load increases and the RMS deflection becomes greater for constant excitation. This explains the results for beams of increasing $\bar{\mathbf{w}}_0$ vibrating about the straight position since they can be considered to be unbuckled beams with axial load parameters $\bar{\mathbf{N}}_0$ greater than unity and equal to $1+\frac{1}{4}\bar{\mathbf{w}}_0^2$.

Table 9: RMS Deflections and Stresses $(\vec{w}_{av} = \vec{w}_0)$

130	ıw	2 5 5 ×	ئ. م	-2 k	+*************************************	<2-5 x
1.0	0.1000000-01 0.2000000-01 0.1000000-01 0.2000000+00 0.2000000+01 0.2000000+01 0.2000000+02 0.2000000+02 0.2000000+03 0.2000000+03 0.2000000+03 0.2000000+04 0.1000000+04 0.1000000+04 0.1000000+05 0.1000000+05 0.1000000+05 0.2000000+05 0.2000000+05 0.2000000+05	0.2687560+00 0.3652410+00 0.5304510+00 0.6851660+00 0.8670160+00 0.1154240+01 0.1154240+01 0.175690+01 0.2635360+01 0.3152510+01 0.3152510+01 0.4745180+01 0.5648300+01 0.5648300+01 0.7104010+01 0.8445340+01 0.1260770+02 0.1260770+02 0.1260770+02 0.1260770+02 0.1260770+02 0.1260770+02	0.2698410+01 0.2698410+01 0.2660980+01 0.2613240+01 0.2391920+01 0.2391920+01 0.2391920+01 0.1461950+01 0.1461950+01 0.1461950+01 0.2686600-01 0.146980+01 0.1246930+01 0.1246930+02 0.1246930+02 0.1246930+02 0.1246930+02 0.1246930+02 0.1246930+03 0.281980+03 0.28500+03 0.2357760+03 0.2357760+03 0.2357760+03 0.2357760+03	0.373970b+00 0.513587b+00 0.764346b+00 0.101662b+01 0.133986b+01 0.133986b+01 0.252561b+01 0.333832b+01 0.487069b+01 0.487069b+01 0.487069b+01 0.173968b+02 0.173968b+02 0.233591b+02 0.233591b+02 0.173968b+02 0.249650b+03 0.249050b+03 0.249050b+03 0.694339b+03 0.694339b+03	-0.7502550+00 -0.8031230+00 -0.8508620+00 -0.9228540+00 -0.1072180+01 -0.1072180+01 -0.2588290+01 -0.2588290+01 -0.3437240+02 -0.3437240+02 -0.1593340+02 -0.1593340+02 -0.1593340+02 -0.2265490+02 -0.3228390+02 -0.3228390+02 -0.2265490+03 -0.2392400+03 -0.3405120+03 -0.5423680+03	0.6243720+00 0.8517260+00 0.1248130+01 0.1630190+01 0.2096390+01 0.2879420+01 0.3643700+01 0.4615220+01 0.4615220+01 0.1489470+02 0.1948030+02 0.1948030+02 0.2557850+02 0.2557850+02 0.2557850+02 0.2557850+02 0.257850+03 0.473830+02 0.9473830+02 0.9473830+03 0.9473830+03 0.9473830+03
2.0	0.1000005-01 0.2000009-01 0.50000000-01 0.2000000000 0.5000000000	0.1411220+00 0.1988480+00 0.3111170+00 0.4329120+00 0.5950190+00 0.8809460+00 0.1155140+01	0.4458985+01 0.4453920+01 0.4439170+01 0.4415790+01 0.4372690+01 0.4116420+01 0.388180+01	0.2009370+00 0.2840220+00 0.4484190+00 0.6327370+00 0.8913350+00 0.1396910+01 0.1955820+01	-0.246923D+01 -0.247428D+01 -0.248903D+01 -0.251241D+01 -0.25552D+01 -0.266529D+01 -0.304002D+01	0.4217870+00 0.5947410+00 0.9324420+00 0.1301660+01 0.1799580+01 0.2703000+01 0.3609260+01

Table 9: Continued

٠.		
< \frac{-2}{4} > \frac{1}{2}	0.6729670+01 0.8709450+01 0.1126150+02 0.2058750+02 0.3828770+02 0.3828730+02 0.5034130+02 0.965870+03 0.1286870+03 0.1286870+03 0.1286870+03 0.2545830+03 0.2545830+03 0.2545830+03 0.2545830+03 0.2545830+03 0.9578740+03	0.294957b+00 0.417101b+00 0.932109b+00 0.131722b+01 0.207813b+01 0.292841b+01 0.411309b+01 0.638399b+01 0.879843b+01 0.175306b+02 0.175306b+02 0.230702b+02 0.230702b+02 0.230702b+02 0.230702b+02
+°°°	-0.3527260+01 -0.494689D+01 -0.494689D+01 -0.6677220+01 -0.1157800+02 -0.2416780+02 -0.2416780+02 -0.37994D+02 -0.37994D+02 -0.37994D+03 -0.166489D+03 -0.166489D+03 -0.3420430+03 -0.543901D+03 -0.543901D+03	-0.7661220+01 -0.7662180+01 -0.765960+01 -0.7679440+01 -0.777950+01 -0.7754760+01 -0.7845840+01 -0.8486980+01 -0.8486980+01 -0.9147590+01 -0.9147590+02 -0.1540870+02 -0.1540870+02 -0.1540870+02 -0.2754650+02
<25×	0.4221850+01 0.5845420+01 0.8056200+01 0.1221370+02 0.1256320+02 0.3361340+02 0.4535860+02 0.4535860+03 0.1226840+03 0.1226840+03 0.2478870+03 0.2478870+03 0.2478870+03 0.6930180+03	0.177230+00 0.2513320+00 0.3973580+00 0.5618750+00 0.7944000+00 0.1255070+01 0.172650+01 0.3926980+01 0.3926980+01 0.5499480+01 0.7656810+01 0.7656810+01 0.7656810+02 0.2192840+02 0.173350+02 0.173350+02 0.1608200+02 0.2192840+02 0.4451720+02
o". av	0.3400940+01 0.2824440+01 0.198131D+01 0.2509860+00 -0.175427D+01 -0.464982D+01 -0.1051560+02 -0.173960+02 -0.268712D+02 -0.4623640402 -0.6828010+02 -0.9970960+03 -0.2338410+03 -0.336172D+03 -0.336172D+03	0.9659290+01 0.9658330+01 0.965640+01 0.9650640+01 0.961070+01 0.9612560+01 0.9612560+01 0.9217910+01 0.883530+01 0.8172920+01 0.8172920+01 0.6637720+01 0.4736700+01 0.1911840+01 -0.3899510+01
\$<\#>	0.1998130+01 0.2463700+01 0.3065590+01 0.3864220+01 0.4645060+01 0.7036710+01 0.8388710+01 0.9889500+01 0.1256980+02 0.1777110+02 0.1777110+02 0.2533230+02 0.2654320+02	0.5713310-01 0.8079020-01 0.1277010+00 0.1865060+00 0.4020090+00 0.5657600+00 0.7926530+00 0.1221890+01 0.1667550+01 0.2230820+01 0.4020480+01 0.5017500+01 0.6587910+01 0.6683946+01
ıs	0.5000000+01 0.1000000+02 0.5000000+03 0.1000000+03 0.5000000+03 0.5000000+04 0.5000000+04 0.5000000+05 0.2000000+05 0.2000000+05 0.2000000+05 0.2000000+06	0.1000000-01 0.5000000-01 0.5000000-01 0.20000000-00 0.20000000-01 0.20000000-01 0.20000000-01 0.20000000-02 0.20000000-03 0.20000000-03 0.20000000-03 0.2000000-03
130	2.0	5.0

Table 9: Continued

13	155	\$< <u>\$</u> *>	ō	4<2°>>	+ 5	<25×
5.0	0.1000000+05 0.2000000+05 0.5000000+05 0.1000000+06 0.2000000+06 0.5000000+06	0.1472740+02 0.1758510+02 0.2218390+02 0.2641830+02 0.3144240+02 0.3955660+02 0.4704610+02	-0.6164060+02 -0.9307830+02 -01559420+03 -0.2272320+03 -0.3285150+03 -0.5303850+03	0.1215440+03 0.1646580+03 0.2465450+03 0.3353550+03 0.4572040+02 0.6914120+03	-0.789611B+02 -0.1103990+03 -0.1732620+03 -0.2445520+03 -0.3458360+03 -0.5477050+03	0.1357610+03 0.1797950+03 0.2628310+03 0.3524570+03 0.4750750+03 0.7102250+03
0.0	0.1000000-01 0.2000000-01 0.10000000-01 0.2000000-00 0.2000000-01 0.5000000-01 0.5000000-01 0.5000000-03 0.1000000-03 0.2000000-03 0.2000000-03 0.2000000-03 0.2000000-04 0.2000000-04 0.2000000-04 0.2000000-05 0.1000000-05 0.2000000-05 0.2000000-05 0.2000000-05 0.2000000-05 0.2000000-05 0.2000000-05 0.2000000-05	0.2940820-01 0.4158900-01 0.6575600-01 0.9298840-01 0.1314920+00 0.2078460+00 0.2078460+00 0.2937940+00 0.4150820+00 0.9212600+00 0.9212600+00 0.1291750+01 0.1997360+01 0.3697380+01 0.5323000+01 0.6839730+01 0.6839730+01 0.6839730+01 0.532300+00 0.1997450+02 0.1694120+02 0.1694120+02 0.2597820+02	0.183201D+02 0.183198D+02 0.183187D+02 0.183187D+02 0.183133D+02 0.1830240+02 0.182485D+02 0.182485D+02 0.182485D+02 0.179706D+02 0.179706D+02 0.179706D+02 0.179706D+02 0.179706D+02 0.179706D+02 0.179706D+02 0.179706D+02 0.179706D+02 0.179706D+02 0.179706D+03 0.179706D+03 0.179706D+03 0.179706D+03 0.179706D+03 0.1797885D+03 0.179706D+03 0.179706D+03	0.1955560+00 0.2765540+00 0.4372470+00 0.6183070+00 0.8742660+00 0.1381620+01 0.1952240+01 0.2756240+01 0.2756240+01 0.4336940+01 0.4336940+01 0.1383420+02 0.2411930+02 0.2411930+02 0.3565110+02 0.376260+02 0.376260+02 0.376260+02 0.376260+03 0.6965110+03 0.6965110+03	-0.163209D+02 -0.163223D+02 -0.163241D+02 -0.163241D+02 -0.163241D+02 -0.1632480+02 -0.1633860+02 -0.163925D+02 -0.164986D+02 -0.164988D+02 -0.164988D+02 -0.164988D+02 -0.16498BD+02 -0.264175D+02 -0.264175D+02 -0.264175D+02 -0.264175D+02 -0.264175D+03 -0.264175D+03 -0.26825D+03 -0.114229D+03 -0.177030D+03 -0.248300D+03 -0.248300D+03 -0.248300D+03 -0.248300D+03	0.2568160+00 0.3631880+00 0.5742280+00 0.8120280+00 0.1148230+01 0.1814790+01 0.2564820+01 0.3622520+01 0.5706300+01 0.172680+02 0.172680+02 0.2372470+02 0.4702580+02 0.4702580+02 0.4702580+03 0.1495700+03 0.1495700+03 0.2808790+03 0.2808790+03 0.7328330+03

为年子公司是否是国际各种的人,但是不是一种,他的人的一种,他们的人,他们是是一种,他们是是不断,他们是不是一种的人的人,但是是是一个人的人,但是是一种,这个人是

Table 9: Continued

, o	ıv,	4 <u ₩>	o_ av	< -5 }	-+ Gav	< <u>0</u> 52 15
20.0	0.1000000+01 0.5000000+01 0.1000000+00 0.2000000+00 0.2000000+01 0.2000000+01 0.2000000+02 0.2000000+03 0.2000000+03 0.2000000+03 0.2000000+03 0.2000000+03 0.2000000+04 0.2000000+05 0.2000000+05 0.2000000+06 0.2000000+06	0.1627430-01 0.2301510-01 0.3638530-01 0.5146020-01 0.7277010-01 0.1626190+00 0.2298630+00 0.3625570+00 0.3625570+00 0.7183140+00 0.7183140+01 0.158430+01 0.2964140+02 0.1975660+02 0.1975660+02 0.1975660+02 0.2431800+02 0.2964140+02 0.2964140+02 0.2964140+02	0.3564080+02 0.3564060+02 0.3563890+02 0.3563880+02 0.3563680+02 0.3563680+02 0.3563040+02 0.356304002 0.3559880+02 0.3559880+02 0.355980+02 0.3544000+02 0.3544000+02 0.356000+02 0.356000+02 0.326000+02 0.283320+01 0.283320+01 0.283320+03 0.1821720402 0.283320+03 0.283320+03 0.283320+03 0.283320+03 0.288320+03 0.288320+03 0.288320+03 0.288320+03	0.2082570+00 0.465650+00 0.465650+00 0.6584990+00 0.9311550+00 0.1471800+01 0.2080290+01 0.2080290+01 0.2938780+01 0.4632050+01 0.1415880+02 0.195610+02 0.195610+02 0.195610+02 0.195610+03 0.1910080+03 0.1910080+03 0.2778030+03 0.2778030+03 0.2778030+03 0.2778030+03 0.2778030+03	-0.3364120+02 -0.3364210+02 -0.3364530+02 -0.3364530+02 -0.3364530+02 -0.3364530+02 -0.3364530+02 -0.3364530+02 -0.3364530+02 -0.346520+02 -0.346520+02 -0.346690+02 -0.4407850+02 -0.4407850+02 -0.4407850+02 -0.4407850+02 -0.4407850+03 -0.5106490+02 -0.5106490+02 -0.5106490+02 -0.5106490+02 -0.5106490+03 -0.5106490+03	0.2392220+00 0.3383080+00 0.5348980+00 0.7564280+00 0.1690840+01 0.2390190+01 0.3377400+01 0.5327170+01 0.5327170+01 0.5327170+01 0.1649300+02 0.1649300+02 0.1649300+02 0.1649300+02 0.16560+03 0.2278560+03 0.2254570+03 0.2254570+03 0.2254570+03 0.2254570+03 0.2254570+03 0.2254570+03
50.0	0.1000000-01 0.2000000-01 0.1000000+00 0.2000000+00 0.5000000+01 0.1000000+01	0.9841400-02 0.1391760-01 0.2200450-01 0.3111620+01 0.4399710-01 0.6952810-01 0.9824020-01 0.1386890+00	0.8760240+02 0.8760220+02 0.8760170+02 0.8759910+02 0.8759400+02 0.8759400+02 0.875850+02 0.9756870+02	0.216850b+00 0.306669b+00 0.484873b+00 0.685683b+00 0.969613b+00 0.153267b+01 0.216655b+01 0.306123b+01	-0.8560270+02 -0.8560340+02 -0.8560340+02 -0.8560420+02 -0.8561110+02 -0.8561960+02 -0.8563640+02 -0.8563640+02	0.229274b+00 0.324239b+00 0.512655b+00 0.724973b+00 0.102518b+01 0.162056b+01 0.229089b+01 0.323722b+01

Table 9: Continued

, o	*W	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	م م م	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	-°-	<-±>> <±>>
	00.000000	0070101706 0	0 8742870+02	0.6800060+01	-0.8576630+02	0.7196010+01
ص ص	0.10000000402	0.5051010400	0.8728700+02	0.9548120+01	-0.8591810+02	0.1011180+02
	0.2000000402	0.420//2010	0.8/28/2010 0.8/88140+02	0.1484650+02	-0.8632370+02	0.1575160+02
	202000000000000000000000000000000000000	0.1054700.0	0 8620750±02	0.2059660+02	-0.8689760+02	0.2189940+02
	0.1000000+05	0.00/3330+00	0 8625880+32	0.2842770+02	-0.8784630+02	0.3031100+02
	0.2000000505	0.1133840401	n 8217500±02	0.4329030+02	-0.900301D+02	0.4636830+02
	0.50000004-03	0.1/49590401	0.03/1/30102 0.8038940403	0.5936660+02	-0.9281570+02	0.6383400+02
	6.1000000404	0.60//55.0	0.000000000000000000000000000000000000	0 8121920402	-0.9717710+02	0.877976D+02
	0.2000000+04	0.3115530+01	0./50200140	0.01310101	-0.1069180+03	0.1336390+03
	0.5000000000404	0.4565390+01	0.6626660402	0.15830hp.03	-0 1192420+03	
	0.10000000+05	0.6230480+01	0.5396340+62	0.1602048403	0.4000000	
	0.20000000+05	0.8446400+01	0.3459710+02	0.2294090+03	-0.1505060+05	0.67.0101.0
	0 50000000+05	0.1259440+02	-0.9064320+01	0.3439820+03	-0.1822690+03	0.5//0440+05
	1000000000	0 1688270+02	-0.644061D+02	0.4645180+03	-0.237611D+03	0.5108570+03
	0.10000000	0.321335403	-0 1499870+03	0.6231760+03	-0.3231920+03	0.6847650+03
	0.2000000+00	0.223(22)102	00-01-01-01-0-0-0-0-0-0-0-0-0-0-0-0-0-0	0 0103630+03	-n 5069120+03	0.9952580+03
	0.5000000+06	0.313/430+04	-0.333/0/0403	70.070.7.0	00.00.0000	1010111010
	0.10000001-07	0.3974460+02	-0.5512060+03	0.1207130+04	-0./244110+03	0.1511150404

Table 10: RMS Deflections and Stresses $(\tilde{w}_{av} = 0.0)$

16	135	W ₀ = 0.0 N ₀ = 0.0	0	0,4	$\vec{W}_0 = 0.0 \vec{N}_0 = 0.5$	2
n	~*2 >*2 max	°a v	<5-5×	<w-2> 2 > 2 ></w-2>	o av	<-2-2-12
0.1000000-01	0.1972800+00	-0.9862040-02	0.3801320+60	0.2687510+00	0.4818040+00	0.4957660+00
0.2600000-01	0.2753149+00	-0.1921350-01	0.5321480+00	0.3652350+00	0.4663740+00	0.6776820+00
0.5000000=01	0.4234680+00	-0.4485690=01	0.8195910+00	0.5304460+00	0.4289660+00	0.9978670+00
0.100000D+00	0.5678180+00	-0.8191670-01	0.1120020+01	0.6851640+00	0.3812640+00	0.1310880+01
0.2000000+00	0.7502420+00	-0.143324D+00	0.1508110+01	ø	0.3093420+00	0.1699400+01
0.50000000+00	0.1047390+01	-0.2806880+00		0.1154260+01	0.1602100+00	~
0.10000000+01	0.1317500+01	-0.4466050+00	0.2874240+01	0.141330D+01	-0.1254170-01	•
0.2000000+01	-	-0.6904140+00	0.3761080+01	0.1715750+01	-0.2616470+00	٠
0.50000000+01	0.2127880+01	-0.1190790+01	0.5377430+01	0.2196790+01	-0.7674610+00	0.5518690+01
0.1000000+02	0.2576870+01	-0.1771400+01	0.707826D+01	0.2635570+01	-0.135;680+01	•
0.20000000+02	0.3103120+01	-0.261377D+01	0.9356910+01	•	-0.2197720+01	o,
0.5000000+02	0.3943490+01	-0.4336370+01	0.1360190+02	•	•	0.1374050+02
0.1000000H03	0.4712520+01	-6.633190D+01	0.180960D+02	•	-0.5925950+01	•
0.200000D+03	0.5521140+01	0.9215680+01	0.2410640+02	0.5648900+01	-0.88146cD+01	0.2424790+02
0.50000000+03	0.7082800+01	-0.150646D+02	0.3527940+02		-0.1467000+02	•
0.10000001-04	0.8427780+01	•	0.4712640+02	0.8446030+01	-0.2138580+02	0.4726700+02
0.2000000+04	0.1002260+02	-0.313949D+02	•	•	-0.3100940+02	•
0.5000000+04	0.1259640+02		0.9288610+02	0.1260840+02	-0.5035840+02	•
0.1000000+05	0.1497050+02	-0.7277690+02	0.1248260+03	0.1498050+02	-0.724008D+02	•
0.2000000+05	0.1779020+02	-0.1041960+03	0.1681460+03	0.1779850+02	-0.1038240+03	•
0.50000000+05	0.2234760+02		0.2503040+03	0.2235420+02	-0.1666660+03	0.2504330+03
0.1000000+06	0.2655620+02	•		0.2656170+02	.2379410+0	•
0.2000000+05	0.3155860+02	-0.3395740+03	0.4613560+03	0.3156310+02	-0.3392110+03	
0.500000D+06	0.3964910+02	-0.5414230+03	0.6958080+03	0.3965270+02	-0.5410630+03	•
0.10000000+07	0.4712400+02	-0.7697350+03	0.9529220+03	0.4712700+02	-0.7693770+03	0.9530410+03

Table 10: Continued

0.4805170+00 0.9421300+00 0.8 0.4805170+00 0.9421300+00 0.8 0.7184580+00 0.8160950+00 0.1 0.1015850+01 0.7391620+00 0.1 0.1277070+01 0.7391620+00 0.1 0.1277070+01 0.7391620+00 0.1 0.1278320+01 0.4099280+00 0.3 0.268250+01 0.1587540+00 0.3 0.268250+01 0.1587540+01 0.1 0.4779110+01 0.5521650+01 0.1 0.4779110+01 0.5521650+02 0.3 0.1662030+02 0.3062450+02 0.3 0.1662030+02 0.4997880+03 0.3 0.2656710+02 0.3388470+03 0.3))	
.100000D-1 0.480517D+00 0.942130D+00 0.50000D-01 0.718458D+00 0.870231D+00 0.854323D+00 0.816095D+00 0.101585D+01 0.739162D+00 0.101585D+01 0.739162D+00 0.127707D+01 0.585266D+00 0.127707D+01 0.585266D+00 0.127707D+01 0.585266D+00 0.127707D+01 0.585266D+00 0.127707D+01 0.585266D+00 0.127707D+01 0.585266D+00 0.127707D+01 0.58526D+00 0.127707D+01 0.180499D+01 0.158754D+00 0.26852D+01 0.158754D+00 0.26852D+01 0.158754D+01 0.158754D+01 0.158754D+01 0.268574D+01 0.17868D+01 0.142763D+02 0.142763D+02 0.142763D+02 0.149904D+02 0.16629BD+03 0.178068D+02 0.178068D+02 0.178068D+02 0.178068D+03 0.265671D+02 0.13451D+03 0.265671D+02 0.338847D+03 0.265671D+02 0.338847D+03		54<5#>	ر a v	<\$2>2
2000000-01	342130D+00 0.	0.6718320+00	0.1137010+01	-
.5000000-01	3180810+00 0.	•	•	Τ.
.1000000+00 0.8543230+00 0.7391620+00 0.1015850+01 0.7391620+00 0.1277070+01 0.585260+00 0.1518320+01 0.1587540+00 0.1518320+01 0.1587540+00 0.268250+01 0.268250+01 0.2685740+01 0.26860+02 0.26860+02 0.26860+02 0.26860+02 0.26860+02 0.26860+02 0.26860+02 0.26860+02 0.26860+03 0.26860+03 0.26860+03 0.26860+03 0.26860+03 0.26860+03 0.26860+03 0.26860+03 0.26860+03 0.26860+03 0.26860+03 0.26860+03 0.26860+03 0.26860000+03	3702310+00 0.1	•		Τ.
2000000+00 0.1015850+01 0.7391620+00 0.500000+00 0.1277070+01 0.5852660+00 0.1277070+01 0.5852660+00 0.1518320+01 0.1587540+00 0.2268250+01 0.1587540+00 0.2268250+01 0.1587540+00 0.2268250+01 0.1587540+00 0.2268250+01 0.1587540+00 0.2268250+01 0.1587540+00 0.2268250+01 0.1587540+00 0.22600000+02 0.320330+01 0.1784630+01 0.222000000+03 0.4779110+01 0.5521650+01 0.222200000+04 0.1262300+01 0.2029660+02 0.1427630+02 0.1427630+02 0.1429040+02 0.1262030+02 0.1429040+02 0.1262030+02 0.1662980+03 0.2236070+02 0.1662980+03 0.2236070+02 0.13388470+03 0.2236070+02 0.23388470+03 0.2236770+02 0.23388470+03 0.22300000+06 0.2256710+02 0.23388470+03 0.22300000+06 0.2256710+02 0.23388470+03 0.22300000+06 0.2236770+02 0.23388470+03 0.22300000+06 0.2236770+02 0.23388470+03 0.22300000+06 0.2236770+02 0.23388470+03 0.22300000+06 0.2236770+02 0.23388470+03 0.223000000+06 0.2236770+02 0.23388470+03 0.2236770+02 0.2338847	3160950+00 0.1		•	•
.5000000+00 .5000000+01 .1000000+01 .2000000+01 .2000000+01 .2000000+02 .2000000+02 .2000000+02 .2000000+02 .2000000+02 .2000000+03 .2000000+03 .2000000+03 .2000000+03 .2000000+03 .2000000+03 .2000000+04 .2000000+04 .2000000+04 .2000000+04 .2000000+04 .2000000+04 .2000000+04 .2000000+04 .2000000+05 .2000000+06 .2000000000+06 .200000000+06 .20000000+06 .200000000+06 .200000000+06 .2000000000000000000000000000000000000	7391620+00 0.1	0.1100740+01	•	0.2098340+01
.1000000+01	5852660+00 0.2	Ξ.	0.7915750+00	Ÿ
2000000+01	409928D+00 0.	0.1563930+01	0.6170560+00	•
.5000000+01	1587540+00 0.	-	0.3670930+00	
.1000000+02	3495560+00 0.	•	٠	•
.2000000+02	335908D+00 0.	i	~	•
.5000000+02 0.4023030+01 -0.5521650+01 0.4779110+01 -0.5521650+01 0.5676780+01 -0.8414840+01 0.7126610+01 -0.8414840+01 0.7126610+01 -0.1427630+02 0.7126610+01 -0.2099660+02 0.1005310-02 -0.3062450+02 0.1499040+02 -0.4997880+02 0.1499040+02 -0.7202500+02 0.1499040+02 -0.1034510+03 0.2236070+02 -0.1662980+03 0.2256710+02 -0.3388470+03 0.2656710+02 -0.3388470+03	1784630+01 0.9	•		ن
.1000000+03	3517300+01 0.	•	-0.3189840+01	Ξ.
.2000000+03	5521650+01 0	•	ŵ	•
.5000000+03	8414840+01 0	ĸ		0.2284420+02
.1000000+04	1427630+02 0	•		•
.2000000+04 0.1065310°02 -0.3062450+02 0.5000000+04 0.1262030+02 -0.4997880+02 0.1262030+02 -0.4997880+02 0.12600000+05 0.1780680+02 -0.1034510+03 0.236070+02 -0.1662980+03 0.2236070+02 -0.2375760+03 0.2000000+06 0.3156770+02 -0.3388470+03 0.2000000+06	2099660+02 0	0.8505070+01	•	•
.5000000+04 0.1262030+02 -0.4997880+02 0.9 .1000000+05 0.1499040+02 -0.7202500+02 0.1 .2000000+05 0.1780680+02 -0.1034510+03 0.1 .5000000+05 0.2236070+02 -0.1662980+03 0.2 .1000000+06 0.2656710+02 -0.3388470+03 0.4	3062450+02 0	Τ,	٠	٠
.1000000+05	499788D+02 0.9	0.1269640+02	•	œ.
.2000000+05 0.1780680+02 -0.1034510+03 0. .5000000+05 0.2236070+02 -0.1662980+03 0. .1000000+06 0.2656710+02 -0.2375760+03 0. .2000000+06 0.3156770+02 -0.3388470+03 0.	7202500+02 0.1	٦.	-0.6430730+02	=
0.2236070+02 -0.1662980+03 G. 0.2656710+02 -0.2375760+03 O. 0.3156770+02 -0.3388470+03 O.	1034510+03 0.	•	.9178350+0	0.1554700+03
0.2656710+02 -0.2375760+03 0. 0.3156770+02 -0.3388470+03 0.	1662980+03 6.	4	-0.1464190+03	•
0.3156770+02 -0.3388470+03 0.	2375760+03 0.	0.2680160+02	-0.2080980+03	•
0 .00.00.00 A F. 040.00 A	3388470+03 0.	0.3186440+02	-0.2954340+03	≠.
3465620+02 -0.540/030+03 0.6	5407030+03 0.	0.4005620+02	-0.4689310+03	0.6597490+03
0.4713000+02 -0.7690180+03 0.9	.7690180+03 0.9	0.476269D+02	-0.6646450+02	0.9097040+03

VANEROCCERATIOS COLOROS CONTROCCERA PROCESSION DE CONTROCCERA CONTROCOR DE LA CONTROCCERA DE CONTROCCERA DE CO

Table 10: Continued

		₩ ₀ = 2.0			₩ ₀ = 5.0	
v,	<w-2> 2</w-2>	o av	<5-5>	<\frac{-2}{Mmax} > \frac{1}{2}	σ _a ν	<2°>>
0_10000000-01	0.1171345+01	0.1656830+01	0.2093430+01	0.2887810+01	0.5164860+01	•
C. 2000000-01	0.1187900+01	0.1647500+01	0.2129830+01	0.2888860+01	0.5163050+01	
0.500000D-01	-	-	0.2228640+01	0.2892020+01	0.5157650+01	•
0.1000000+00	0.1286180+01	-	•	•	•	
0.2000000+00	-	-	•	0.2907570+01	4	
0.5000000+00	-	•	•			•
0.1000000+01	-	•	0.3645140+01	0.2984640+01	•	•
0.2000000+01	٣.	•	0.4426440+01	0.3069750+01		•
0.5000000+01	7	•		0.3276610+01	0.4479150+01	~
•	~	•			0.3988080+01	
0.2000000+02	•	•	٠:	0.3895050+01	0.3231170+01	•
0.500000D+02	4	•	•	0.4562360+01	0.1639530+01	0.1487370+02
0.1000000403		₹.	0.1756100+02	0.522920D+01	•	C.1885610+02
0.2000000+03		-0.713268D÷01	0.2300900+02		-0.2869c7D+01	•
0.5000000+03		•	w		•	•
	ထ	-0.1854840+02		œ	•	0.4502380+02
0.200000D+04	0.1912990+02			_		
0.5000000+04	_	₹.	ထ	٣.	•	∞
0.100000D+05	-	•	Ξ	0.1521860+02	-0.5939630+02	•
, ,		•	0.1556250+03	0.1804510+02	-0.868727D+02	٠
•	. 22	•	0.232807D+03	0.2262950+02	-0.1415090+03	7
		7		0.2687320+02	-0.2031890+03	
, ,	•	•	•	0.3192460+02	-0.2905260+03	•
	0.4006220+02	-₹.	0.5699090+03	0.4010400+02	-0.4640240+03	0.6610260+03
	•	•	•	0.4766710+02	-0.6597390+03	0.9109900+03

公司的法法公司的实际公司 的复数化制设计公司 医皮肤囊 医皮肤囊 计成分系统 医多种种 医多种性 医多种性

Table 10: Continued

		W ₀ = 10.0			₩0 = 20.0	
v	<#2 >4 < % < ** < ** < ** < ** < ** < ** < **	āv	<-2>%	<-2 >4 <	σ _a ν	<-25%
1000000	יס בשקטבעטן	0.1744950+02	0.1641240 02	0.114282D+02	0.6576710+02	0.5445010+02
0.1000000-01	0.2/46/80+01	-	0.1641410702	0.1142820+02	0.6576700+02	0.5445050+02
0.2000000-01	0.2/45050101	0.1744740+02		0.1142820+02	0.6576660+02	0.5445150+02
0.3000000		-	0.164276D+02	Ξ.	0.6575690+02	0.5445330+02
		-	-	0.1142850+02	0.5676460+02	0.5445690+02
0 50000010	0.5754720+01	-	-	0.1142890+02	0.5676060+02	0.544676D+02
•	•	-	0.1657490+02	0.114297D+02	0.657540D+02	0.5448540+02
•	•	-	0.1673120+02	0.1143130+02	0.6574080+02	•
•	•	_	0.17151.50+02	0.1143610+02	0.6570130+02	
0.30000010	• •	•	0.1780730+02	0.114440D+02	0.6563620+02	0.5479340+02
0.1000000000000000000000000000000000000	•	-	0.189139D+02	0.1145995+02	0.6550780+02	•
0 500000000000	•	-	0.2152040+02	Τ.	٠	•
0 1000000+03		C-re		~	0.6453420+02	0.5735110+02
0.2000000+03	•	-	0.2955220+02	1,1773640+02	•	0.5973540+02
0.5000000+03	•		0.3904650+02		0.603676D+02	0.6565860+02
0.1000000+04	0.9493190+01		0.4948610+02	_	0.560620D+02	0.7347/40+02
	0.1092490+02		0.6378040+02			0.8551450+02
0.5000000+04	-	•	0.9097310+02	₩.	0.335228D+02	٦,
•		-0.4416570+02	6.1204120+03	┺.	0.1503710+02	_ '
•	•	-0.7160890+02	0.160696D+03	0.198000D+02	-0.117852D+02	_
•	. ~	-	0.2378660+03	0.2400160+02	-0.658375D+02	0.2547450+03
•			0.3222660+03	0.2801620+02	-0.1272260+03	0.3388640+03
•			•	0.3287890+02	-0.214361D+03	•
•	•		•	0.4085790+02	-0.3876860+03	0.6813970+03
0.10000000+07	• •		•	0.4829880+02	-0.5833170+03	0.9313820+03

Table 10: Continued

		₩0 = 50.0	
ıvı	<#2 >12 >12 max	o av	<-2>%
	.28409	.4006500+0	30329
	0.2840970+02	0.4006490+03	m m
0.1000000+00	.28409	4006490	.30329
•		0+0649004	.303
0.50000000+00			.30330
•			
0.5000000000		0.4006390+03	0.3033190+03
			.303
20000000+0			.30
0.10000001-03		0.4004430+03	0.3037040+03
0.20000000+03			
•		0.3996320+03	
•			
•		•••	
'n		.391044D+0	
-		.3822390+0	
•		•	.3567
0.5000000b+05		0.3264100+03	7
		.2743130+0	.485549
•		.1946380+0	.592654
0.5000000+06		.284514	10177
-	.5197560+0	34520+0	.1056




Fig. 20. RMS Deflections Obtained using Equivalent Linearization

The stress results are not shown graphically since there is no regular pattern that can be plotted without producing confusion.

Chapter 5

EXPERIMENTAL AND ANALYTICAL INVESTIGATION OF RMS RESPONSE OF CLAMPED BEAMS UNDER RANDOM LOADING

Experimental studies were performed to investigate the degree of agreement between analytical and experimental results. These experimental set-ups were guided by previous investigations of the effects of structural heating on aerospace vehicle structures loaded by random uniform pressure (reference 1).

5.1 Test Specimens

The material of the test specimens was aluminum Type 2024 Ducommun, which has a Young's modulus of 10.6×10^6 psi and 0.10 lb/in³. The material was flexible enough to be snapped or excited by uniform sound pressure. The beam specimens were 8.125 in. long. and 1/4 in. wide, and had a thickness of 0.02 in.

5.2 Test Set-up

The overall test set-up for the nonlinear vibrations of the straight and buckled beam is shown in Fig. 21. The schematic set-up for measuring the strain response of the beam is shown in Fig. 22. A speaker with a 12 in. diameter was attached to one end of a tapered acoustic box. The other end is closed by a slotted board to which specimens were mounted (Figs. 23 and 24). The noise emitted by the speaker impinges on the beam specimen through the slot. A strain gage was installed at the beam center for measurement of the strain response of the beam. The box was made from one-




Fig. 21 Overall Experimental Set-Up




Fig. 22. Schematic Experimental Set-up for Measuring the Strain Response of Beam




Fig. 23. Schematic Diagram of the Acoustic Box, Front View




Fig. 24. Schematic Diagram of the Acoustic Box, Left View


inch and 3/4 in. plywood, so that it had the required rigidity to prevent vibration interaction with the speaker.

5.3 Sound Pressure Level Calibration

A calibration set up sketch for measuring sound pressure level vs. RMS values of input voltage for the speaker is shown in Fig. 25. The microphone supplied with the sound level meter was a prezoelectric ceramic microphone developed expressly for sound level meter use. To give a flat response to sound of random incidence from 20Hz to 12 KZ, a sound level meter was used of type 1551-C GenRad.

The sound level meter was first calibrated linearly. Then, the constant values of $k_{\mbox{nobe}}$ for a different scale (NOBE) in terms of psi per volt was obtained using a sinusoidal signal. The calibration curves are shown in Fig. 26.

To measure the power spectral density of the signal in terms of $(psi)^2$. sec., a spectral analyzer was used (HP Type 3850) and the scope unit of the spectral analyzer was photographed. From those photographs, the power spectral density of output signal of the sound level meter S_0 in units of $(psi)^2$ -sec. can be determined by squaring the amplitude of scope, dividing it by the bandwidth of spectral analyzer, and then multiplying by the square of the constant value of k_{nobe} and the square of the beam width. The bandwidth of the spectral analyzer was 30Hz and the time sweep was 10 seconds per division. The calibration curve of RMS input voltage versus \bar{S} , the nondimensional spectral density parameter, found by these measurements is shown in Fig. 27.



HE DOLLS HINGE STAFF OF COOL FOR STANDING TO SEE SEES OF SEED OF SEED OF COOLSESSING FOR SOME DOLLS AND THE

Fig. 25. Schematic Calibration Set-up for Measurement of Variation of Sount Pressure Level with Input Voltage of the Speaker





Fig. 26. Calibration Curves for Sound Pressure Level Meter



Calibration of RMS Voltage of the Speaker vs the Power Spectral Density Parameter Fig. 27.

The distribution of sound pressure level across the board slot of acoustic box for sinusoidal signal with frequency 115Hz is shown in Fig. 28. As can be seen from the figure, the pressure across the slot is almost uniform.

5.4 Test Procedure

The beam was mounted on the slotted board (see Fig. 29) and was subjected to pressure history which was generated by a random noise generator (General Radio Type 1381) with range of frequency from 2Hz to 2000Hz. The signal was amplified by a power amplifier with maximum power of about one hundred watts. The RMS input voltage of the speaker was measured by an RMS meter (B&K Type 2409) with a bandwidth of 3Hz in 100 sec. The output of the strain gage was calibrated by using a dial gage indicator so that the calibration factor was 100 μ in/in per 16.6 mv (= $\frac{100}{16.5} \frac{\mu \text{ in/in}}{\text{mv}}$). Then the RMS value of the dynamic strain of the beam, i.e., the RMS value of the total strain minus the static strain, was measured by using an RMS meter with a bandwidth of 3Hz in 100 sec. During a test run, the experimental data was collected within a period of about two to three minutes, in order to obtain almost constant value for the strain. The value of the excitation parameter \bar{S} was obtained by using the calibration graph of RMS input voltage of the speaker versus the power spectral density of sound-pressure level (Fig.27).

The power spectral density of input voltage of the speaker was found to be relatively constant, approximating white noise (Fig. 30). The spectral density of the acoustic pressure was not uniform, however, due to the effects of the speaker distortion. A representative acoustic pressure



Fig. 28. Buckled Beam Mounted on Slot Board of Acoustic Box





Fig. 29. Sound Pressure Distribution across the Slot of Acoustic Box



Frequency (HZ)

Fig. 30. Power Spectral Density of the Input Voltage of the Speaker

spectrum at the box opening during random loading test of beam specimens is shown in Fig. 31. In the spectral analysis shown in Fig. 31, the analysis bandwidth was 30 Hz and the sample being analyzed was of 50 sec. duration.

5.5 Measurement of Damping Coefficient

Probably the most frequently used experimental method is measurement of the decay of free vibrations. When a system has been set into free vibration by any means, the damping ratio can be determined from the ratio of two displacement amplitudes measured at an interval of m cycles. Thus, if \mathbf{v}_n is the amplitude of vibration at any time and \mathbf{v}_{n+m} is the amplitude m cycles later, the damping ratio is given by

$$\zeta = \frac{\delta_{\rm m}}{2m} \tag{5.1}$$


where

$$\delta_{\rm m} = 2n \, \frac{{\rm v}_{\rm n}}{{\rm v}_{\rm n+m}} \tag{5.2}$$

The response curve of aluminum beams for the critical damping ratio ζ , shown in Fig. 32, was measured by a strain gage at the center of the beam. The value of ζ calculated by using Eqs.(5.1) and (5.2) was found to be 0.05.

The damping per unit length β is equal to $2\rho A\omega_1\zeta$ where the first circular natural frequency of the beam ω_1 is given by

$$\omega_1 = 2\pi f_1 \tag{5.3a}$$



Representative Acoustic Pressure Spectrum as Received at Box Opening: $8 \approx 274$ (Bandwidth = 30 Hz, RMS voltage input at speaker = 1.5 volts, 122 db) Fig. 31.




Fig. 32. Response Curve for Finding the Critical Damping Ratio ζ ($\xi = 0.05$, $E = 10.6 \times 10^6 \, \mathrm{psi}$)

wi th

$$f_1 = 1.028 \frac{a}{L^2} \left(\frac{E}{\rho}\right)^{(\frac{L}{2})}$$
 (5.3b)

For aluminum

$$\beta = \frac{4\pi(0.1)(0.02)(0.25)(63)(0.05)}{(32.2 \times 12)} = 5.12 \times 10^{-5} \quad \text{1b-sec./in}^2 \quad (5.4a)$$

and

$$\bar{\mu} = \frac{\beta L^2}{\pi^2 \sqrt{ElpA}} = 0.23 \tag{5.4b}$$

5.6 Beam Subjected to Random Loading

The beam was tested in the unstressed and unbuckled position and also was compressed to buckle with the non-dimensional initial static deflection \bar{w}_0 approximately equal to 21.6, 28.8 and 55.3. The values of \bar{w}_0 were obtained from the static strain measurements and the theoretical relationship for the maximum static strain of a buckled clamped beam.

$$s_{\text{static}} = \frac{\pi^2 r^2}{L^2} (4 + \sqrt{12} \tilde{w}_0)$$
 (5.5)

The RMS dynamic strain $\epsilon_{\rm dynamic}$ relative to the static strain was measured by another RMS meter (B&K Type 2419). A typical record of strain spectral density is shown in Fig. 33. The RMS values of the non-dimensional dynamic stress parameter at the center $<(\bar{\sigma}-\sigma_{\rm sp})^2>^{\frac{1}{2}}$ which is equal to $\epsilon_{\rm dynamic}(L/\pi r)^2$ are shown in Table 11. Unfortunately the power imparted to the beam was




Fig. 33. Strain Spectral Density in the Absence of Oil Canning (Random Loading Case, S=846.687, W₀=55.3, Bandwidth=30 HZ, the Spectral Density is Plotted Logarithmically)

Frequency (HZ)

Table 11: Experimental Results of Non-dimensional Dynamic Stress for a Buckled Beam Under Random Loading

16	Non-dimensio	onal RMS Dyr	namic Stress	Non-dimensional RMS Dynamic Stress $<(\bar{\sigma}-\bar{\sigma}_{av})^2>^{\frac{1}{2}}$
n	₩ ₀ = 55.3	₩ ₀ = 28.8	$\bar{w}_0 = 21.6$	$\tilde{W}_0 = 0.0 \ (\tilde{N}_0 = 0)$
20	2.01	2.21	2.21	1.20
110	3.21	3.01	3.01	2.01
172	4.21	3.61	3.61	2.61
240	4.12	4.21	4.21	3.01
434	6.42	5.22	5.22	7.83
820	6.82	6.22	6.42	15.65

insufficient to cause snap-through, a fact which was not ascertained until very late in the investigation.

5.7 Analytical Investigation

An approximate analytical investigation of the RMS stresses and deflections of a clamped beam which vibrates about the buckled equilibrium position was made by expanding the beam deflection function in a series of symmetric normal modes of vibration of the straight beam

$$W = \sum_{m} W_{m} \phi_{m}(\zeta) \tag{5.6}$$

where $\beta_m(\zeta)$ is the mth vibration mode of the unstressed beam satisfying the relations

$$\frac{d^4\phi_m}{dc^4} = \sqrt{\frac{4}{10}}\phi_m \qquad (5.7a)$$

$$\int_0^1 \phi_m \phi_n d\zeta = \delta_{mn} \qquad (5.7b)$$

The modal functions and their derivatives are tabulated in reference 19. Various integrals involving the modal functions are evaluated in reference 20.

Equation (1.5) with the aid of Eqs.(1.4),(1.5a), and (5.7) and the use of the Galerkin method then yields the following equations for determining $\mathbf{W}_{\mathbf{m}}$

$$\frac{d^{2}w_{m}}{dt^{2}} + \frac{\beta}{\rho A} \frac{dw_{m}}{dt} + \omega_{m}^{2}w_{m} + \frac{N_{x}}{L^{2}\rho A} \sum_{m} K_{mn}w_{n}$$

$$- \left(\frac{2\pi^{2}N_{0}w_{0}}{L^{2}\rho A} + \frac{8EI\pi^{4}w_{0}}{\rho AL^{4}}\right)G_{m} = \frac{Q_{m}}{\rho A}q(t) \qquad (m = 1, 2, ...) \quad (5.8)$$

with

$$N = -N_0 + \frac{EA}{2L^2} \left[\sum_{m} \sum_{n} K_{mn} w_m w_n - 2\pi^2 w_0 \sum_{m} G_m w_m \right] \qquad (5.9)$$

$$Q_{\rm m} = \int_0^1 \varphi_{\rm m}(\zeta) d\zeta = \frac{4\alpha_{\rm m}}{Y_{\rm m}}$$
 (5.10)

$$K_{mn} = \int_{0}^{1} \frac{d\phi_{m}}{d\zeta} \frac{d\phi_{n}}{d\zeta} d\zeta = K_{nm}$$

$$= \begin{cases} \alpha_{m} \gamma_{m} (\alpha_{m} \gamma_{m} - 2) & \text{if } m = n \\ \frac{8 \gamma_{m}^{2} \gamma_{n}^{2} (\alpha_{m} \gamma_{m} - \alpha_{n} \gamma_{n})}{\gamma_{n}^{4} \gamma_{m}^{4}} & \text{if } m \neq n \end{cases}$$

$$(5.11)$$

$$G_{\rm m} = \int_{0}^{1} \sigma_{\rm m}(\zeta) \cos(2\pi\zeta) d\zeta$$

$$= \frac{4\alpha_{\rm m} \gamma_{\rm m}^{4}}{\gamma_{\rm m}^{4} - 16\pi^{4}}$$
 (5.12)

and $\alpha_{\rm m}$ and $\gamma_{\rm m}$ are tabulated in reference 19.

The application of the method of equivalent linearization, whereby the terms in Eq.(5.8) involving the deflection coefficients are replaced by $k_m \omega_m^2 w_m$, then yields the following equations for k_m

$$k_{m} = 1 + \frac{256\overline{w}_{0}^{2}k_{m}\gamma_{m}^{4}}{\gamma_{m}^{4} - 16\pi^{4}} \sum_{n=1}^{\infty} \frac{\alpha_{n}^{2}\gamma_{n}^{2}}{(\gamma_{n}^{4} - 16\pi^{4})D_{mn}}$$
$$- \frac{16\pi^{2}\gamma_{m}k_{m}}{\alpha_{m}} \sum_{n=1}^{\infty} \frac{K_{mn}\alpha_{n}}{\gamma_{n}^{D}m_{n}} + \frac{2\pi^{6}\gamma_{m}k_{m}^{5}}{\alpha_{m}^{2}}$$

$$\sum_{n=1}^{\infty} \sum_{p=1}^{\infty} \sum_{q=1}^{\infty} \frac{\alpha_n \alpha_p \alpha_q}{\gamma_n \gamma_p \gamma_q} \frac{K_{mp} K_{nq} + 2K_{mn} K_{pq}}{D_{mp} D_{nq}}$$
(5.13)

The RMS displacements are now given by

$$< \bar{w}_{max}^2 > = \bar{w}_0^2 + 16\pi^6 \bar{s} \sum_{m=1}^{\infty} \sum_{n=1}^{\infty} \frac{\alpha_m \alpha_n p_m \left(\frac{1}{2}\right) p_n \left(\frac{1}{2}\right)}{\gamma_m \gamma_n D_{mn}}$$
 (5.14)

The average stresses are obtained from

$$\bar{\sigma}_{av}^{\pm} = \bar{N}_{0} - 8\pi^{4}\bar{S} \sum_{m=1}^{\infty} \sum_{n=1}^{\infty} \frac{\alpha_{m}^{m} n^{K}_{mn}}{\gamma_{m} \gamma_{n}^{D}_{mn}}$$
 (5.15)

and the RMS stresses with respect to this mean are given by

$$<(\bar{\sigma}_{max} - \bar{\sigma}_{av})^{2} = 129\pi^{8}\bar{s}^{2} \sum_{n=1}^{\infty} \sum_{n=1}^{\infty} \sum_{n=1}^{\infty} \sum_{p=1}^{\infty} \sum_{q=1}^{\infty} \frac{\alpha_{m}^{\alpha} n^{\alpha} p^{\alpha} q^{k} m n^{k} p q}{\gamma_{m}^{\gamma} n^{\gamma} p^{\gamma} q^{D} m p^{D} n q}$$

$$+ 64\pi^{6}\bar{w}_{0}^{2}\bar{s} \sum_{m=1}^{\infty} \sum_{n=1}^{\infty} \frac{\alpha_{m}^{\alpha} n^{G} m^{G} n}{\gamma_{m}^{\gamma} n^{D} m n}$$

$$+ 64\pi^{4}\bar{w}_{0} \frac{h}{r} \bar{s} \sum_{m=1}^{\infty} \sum_{n=1}^{\infty} \frac{d^{2} p_{m}}{d \zeta^{2}} \frac{\alpha_{m}^{\gamma} \gamma_{n}^{G} n}{\gamma_{m}^{\gamma} n^{D} m n}$$

$$+ 16\pi^{4} \frac{h}{r} 2\bar{s} \sum_{m=1}^{\infty} \sum_{n=1}^{\infty} \frac{d^{2} p_{m}}{d \zeta^{2}} \frac{d^{2} p_{n}}{d \zeta^{2}} \frac{\alpha_{m}^{\alpha} n}{\gamma_{m}^{\gamma} n^{D} m n}$$

$$(5.16)$$

Some calculations were made of the RMS stress with respect to the static stress

$$\tilde{\sigma}_{\text{static}} = -\tilde{N}_0 \pm 2 \frac{h}{r} \bar{w}_0 \qquad (5.17)$$

Then

$$\langle (\bar{\sigma}_{\text{max}} - \bar{\sigma}_{\text{static}})^2 \rangle = \langle \bar{\sigma}_{\text{max}} \rangle - 2\bar{\sigma}_{\text{av}} \sigma_{\text{static}} + \bar{\sigma}_{\text{static}}^2$$

$$= \langle (\bar{\sigma}_{\text{max}} - \bar{\sigma}_{\text{av}})^2 \rangle + (\bar{\sigma}_{\text{av}} - \bar{\sigma}_{\text{static}})^2 \qquad (5.18)$$

The results with $\bar{\mu}$ taken equal to zero for convenience are compared with the experimental results in Fig. 34. The experimental results are seen to be considerably lower than the theoretical results. One cause of this discrepancy may be conjectured to be the effect of the center strain gage which tends to stiffen the beam yielding smaller deflections and stresses. Another source of error is the nature of the random loading which is not white noise when it impinges on the beam. The effect of a non-constant loading spectrum is unexplored, however.




Fig. 34. Comparison of Theory and Experiment for Center RMS Stress

CONCLUSIONS

The present investigation serves to cast some light in the behavior of initially buckled beams under random loading. A reasonable indication of the critical spectral density of loading required for beam snap-through appears to be the vanishing of the average zero-crossing frequency of the beam. While this criterion does not lead to a completely precise value, due to the lengthy calculations required, an estimate of the critical power spectral density parameter has been obtained as

$$\bar{S} = 0.001 \, \bar{w}_0^4$$

An investigation of the RMS response of initially buckled simply supported beams does not reveal any drastic change in the vicinity of the critical spectral density. The onset of snap-through does herald the possibility of stress reversal, however.

Bounds in the RMS response have been obtained by considering vibrations about the initial buckled position as an average and about the straight reference position as an average, together with the method of equivalent linearization. The results obtained by numerical simulation of random loading indicate a smooth transition from the first to the second type of behavior and in the limit are in good agreement with the approximate analytical values. The agreement between theory and experiment for clamped beams is reasonable, but not conclusive.

The results obtained suggest the need for better experimental as well as better analytical techniques to furnish the required data. While useful results have been obtained by numerical load simulation and integration of the differential equations of motion, the calculations are quite costly and time consuming. Further studies on methods for estimating the response of highly nonlinear structures for random loading are thus required. These results are needed, to some extent, prior to experimentation to help delineate the type of data to be measured and the power requirements for the loading. the present experimental investigation would have profited from a delay until analytical results were obtained.

REFERENCES

- 1. Jacobson, M.J. and Finwall., "Effects of Structural Heating on the Sonic Fatigue of Aerospace Vehicle Structures," Report No. AFFDL-TR-73-56, 1974, Air Froce Flight Dynamics Laboratory, Wright-Patterson AFB, Ohio.
- 2. Pi. H.N., Ariaratnam, S.T., and Lennox, W.C., "First-Passage Time for the Snap-through of a Shell-type Structure," J. Sound Vib., Vol. 14, No. 3, Feb. 8, 1971, pp. 375-384.
- 3. Huddleston, J.V., "Behavior of a Steep Prestressed Arch Made from a Buckled Strut," J. Appl. Mech., Vol. 37, No. 4, Dec. 1970, pp. 984-994.
- 4. Tseng, W.-Y. and Dugundji, J., "Nonlinear Vibrations of a Buckled Geam under Harmonic Excitation," <u>J. Appl. Mech.</u>, Vol. 38, No. 2, June 1971, pp. 467-476.
- 5. Burgreen, D., "Free Vibrations of a Pin Ended Column with Constant Distance between Ends," J. Appl. Mech., Vol. 18, No. 1, March 1951, pp. 135-139.
- 6. Bisplinghoff, R.L. and Pian, T.H.H., "On the Vibration of Thermally Buckled Bars and Plates," Proc. IX Int. Cong. Appl. Mech., Vol. 7, 1957, pp. 307-318.

AE VALAAZA DAMAAN DINOMINI MEGESARIA BIRTAN BIRTAN BIRTAN BIRTAN SA BARTAN BIRTAN BIRTAN ALAM BIRTAN AN DINOMINI

- 7. Eisley, J.G., "Nonlinear Vibrations of Beams and Rectangular Plates," Z. Agnew. Math. Phys., Vol. 15, 1964, pp. 167-174.
- 8. Eisley, J.G., "Large Amplitude Vibration of Buckled Beams and Rectangular Plates," AIAA J., Vol. 2, No. 12, Dec. 1964, pp. 2207-2209.
- 9. Seide, P., "An Investigation of the Dynamic Stability of Structures in a Combined Thermal-Acoustic Environment," Annual Report, October 1978-September 1979, AFOSR Grant No. 79-0013.
- Hoff, N.J. and Bruce, V.G., "Dynamic Analysis of the Buckling of Laterally Loaded Flat ARches," <u>J. Math. Phys.</u>, Vol. 32, 1954, pp. 276-288.
- 11. Humphreys, J.S., "On the Adequacy of Energy Criteria for Dynamic Buckling of Arches," <u>AIAA J.</u>, Vol. 4, No. 5, May 1966, pp. 921-923.
- 12. Humphreys, J.S., "On Dynamic Snap Buckling of Shallow Arches," AIAA J., Vol. 4, No. 5, May 1965, pp. 878-886.

- 13. Greenberg, M.D., Foundations of Applied Mathematics, Prentice-Hall, Inc., Englewood Cliffs, NJ, 1978, pp. 476-185.
- 14. Stott, S.J. and Sasri, S.F., "Random Vibration of a Nonlinear Two-Degree-of-Freedom Oscillator," Report No. NUREG/CR-0361, CE 78-08, 1978, U.S. Nuclear Regulatory Commission, Washington, D.C.
- 15. Seide, P., "Nonlinear Stresses and Deflections of Beams Subjected to Random Time Dependent Uniform Pressure," J. Eng. Ind., Vol. 98, No. 3, Aug. 1976, pp. 1014-1020.
- 16. Lin, Y.K., Probabilistic Theory of Structural Dynamics, McGraw-Hill Book Company, New York, 1967, pp. 293-299.
- 17. Abramowitz, M. and Stegun, I.A., Handbook of Mathematical Functions, National Bureau of Standards, Applied Mathematics Series 55, June 1964, p. 886.
- 18. Caughey, T.K., "Equivalent Linearization Techniques," J. Acoust. Soc. Am., Vol. 35, No. 11, Nov. 1963, pp. 1606-1711.
- 19. Young, D. and Felgar, R.P., Jr., "Tables of Characteristic Functions Representing Normal Modes of Vibration of a Beam," Engineering Research Series, No. 44, Bureau of Engineering Research, University of Texas, Austin, July 1, 1949.
- 20. Felgar, R.P., Jr., "Formulas for Integrals Containing Characteristic Functions of a Vibrating Beam," Circular No. 14, Bureau of Engineering Research, University of Texas, Austin, 1950.

APPENDIX A

PROGRAM DRIBB3 FOR THE DETERMINATION
OF SNAP-THROUGH PROBABILITY

DISTRIBUTION BEAMS BY A MONTE-BMU = DAMPING COEFFICIENT PARAMETRY (CL##2/(Pl##2#SORT(RHO#AFI)) NO = INITIAL BUCKLE AMPLITUDE/RADIUS OF GYRATION RATIO NT = NUMBER OF FOURIES SFRIES TERMS USED N(1) = ITH FOURIES SERIES AMPLITUDE/PADIUS OF GYRATION RATIO (I = 1 NT) T = FUNDAMENTAL FREQUENCY OF UNCOMPRESSED BEAM # TIME (PI##2# THE RUNGE The Fundamental Frequency of Uncompressed beam time (Pltatame 1) Sqrt(FI) (RHOth) time (Pltatame 1) Sqrt(FI) (RHOth) time (Pltatame 1) Bh = 10AD PARAMETER (4th 1) Abblatament (4th 1) Abb DT=TIME INTERVAL FOR CONSTANT RANDOM PRESSURF
NI=NUMREP OF INTERVALS OF DT FOR INTEGRATION STEP SIZE
TMAX=MAXIMUM TIME CONSIDERED
IX=AN INTEGER HAVING NINE DIGITS OR LESS
S=THE PESIVED STANDARD DEVIATION OF THE GAUSSIAN NORMAL DISTRAMETURE DESIRED MEAN OF THE NORMAL DISTRIBUTION
JJO=TOTAL RAMPLE SIZE (NIMRED OF CIFFERENT LOADING HISTORIES) IMPLICIT REAL#R(A-H-J-Z)
DIMENSION W(200) *WP(200) *WM(200,2) *JT(500) *PT(500)
COMMIN Y(81/H-MP*P*MO, 9MU, NT*F* 8N
COMMIN Y(81/H-S) *TYPE="OBST 8")
OPEN(UNIT=5-TYPE="OBST 8")
OPEN(UNIT=5-TYPE="NEW", NAME="DR 81N3")
RFAJ(5-1) 8MU*MO, NT*JJT
RFAJ(5-1) 8MU*MO, NT*JJT
RFAJ(5-1) 8MU*MO, NT*JJT
NOTTE(6-2) WJO 8MU
POR MAT(2010 -6-214)
NOTTE(6-2) WJO 8MU
NOTTE(6-2) WJO 8MU
NOTTE(6-30) NT
NOTE(6-30) CALCULATES PODSABILITY OF SNAP-THROUGH IN A GIVEN TIME CALCULATES PROSABILITY OF SNAP-THROUGH IN A GIVEN TIME CARLO PRAMS € INTEGRATION OF THE SYSTEM OF DIFFERENTIAL EQUATIONS KUTTA 4-THOO (FIXE) Dn 50 [=1, JJT 47 (2010-6914) (5,6)5+8017-JA 47 (2010-3-2110) F(6-7)5-80-1X 1F[33.6T.1)60 TO 15 W(NT+1)=0.00 I=1.NT THE HERE STANDS HAIT おっては 00 50 3 **COCOCOCOCOCO** 15.70 17.70 18.70 18.70 18.70 5000 6100 5500

```
RIGHT SIDE OF THE EQUATIONS DW/DT=FIM+P)
ALUE = .DI3.6. THE STANDARD DEVIATION = .DI3.6
                               O13.5.0. THE INTEGRATION TIME STEP = 01/
                                                                                                                                                                                                                                                                                                                                                                                                                      SUBBOUTING RSTOF CALCULATES THE
                                                                                                                                                                                                                                   *21+2.500#HP(I)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    SUBSTUTINE RSIDE
                                                                            T=JT/OI
ALL GAUSSI(IX+S,AM+P)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       103
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      ں ں ں
```

=-pf(241-11+((241-1)+6248N-(241-1)**4)*W(1)-8MU*W(NT+1) AS DESTRED DF[nat(1x).nfloat(21474836471)) SUBROUTINES GAUSSI & RANDOM SEVERATE RANDOM NUMBERS 44(1);42 WO44(1)-0.25D0450 W-1.OG)4(WO+8(1):-9MU44(NT+1) R 14 2 2 601 948 (2.5.5) . NT. T. BN SUBTOUTING GAUSSICIX.5-AM.Y)
IMPLICIT REALMS (A-M.G.7) V=(6-5.00145+AM RATURN END

APPENDIX B

PROGRAM DRIBB2 FOR NUMERICAL INTEGRATION OF THE EQUATIONS OF MOTION

* DAMPING CCEFFICIENT PARAMETER (CL&&2/(PI&\$2&\$ORT(RHD&A&F&1)) INITIAL BUCKLE AMPLITUDE/RADIUS OF GYRATION RATIO NUMBER OF FOURIER SEPIES TERMS USED * ITH FOURIEP SERIES AMPLITUDE/RADIUS OF GYRATION RATIO T = FUNDA 4 ENTAL FREQUENCY OF UNCOMPRESSED BEAM & TIME (PI 4 2 2 2 CNT for / (PHC 4); # I ME/L 4 2)

SQ T (F 4) / (PHC 4); # I ME/L 4 2)

P = LOAD PARAMETEP (4 4 L) A D 4 4 4 4 5 0 R 1 1 / (PI 4 4 5 4 E 1 1)

BN = AXIAL STPESS PARAMETER (A V 5 R 6 5 5 R 6 5 2 / (PI 4 4 2 4 E 1)

COMPSESSION, BNO < 1.0)

BN = MOMENT STRESS PARAMETER (MAXIMUM STRESS A L 4 2 / (PI 4 2 2 4 E 1)

SQ T (1/A) / MAXIMUM DISTANCE TO DUTER FIBER)

NC = CENTER DEFLECTIONARADIUS OF GYATION RATIO

A = BEAM CROSS-SECTIONAL AREA

E = YOUNG S MODULUS OF BEAM MATERIAL

E CONTROLLA COMENT OF INERTIA OF BEAM CROSS SECTION DIMENSION W(10) + WP(10) + WW(10+2) + WC(2) + WS(2) + SS1(2) + SS(2) + SAVI(2) + SAVI(2) + SAVI(2) + WAV(2) + W T(* THE INITIAL CENTER DEFLECTION RATIO = *,013.6.*; ING COEFFICIENT PARAMETER = *,013.6) (6.30) NT RESPONSE OF INITIALLY BUCKLED BEAMS SIMPLY SUPPOPTED REAMS INTEGRATION OF THE SYSTEM OF DIFFERENTIAL FQUATIONS BY THE KUTTA WETHOD (FIXED STED-SIZE) FUNCTION ig CÓEFFICIENT (UNITS OF FORCE¢TIMF/LENGTH¢#2) IITY OF BEAM MATERIAL GYRATION = SQRT(1/A) RANDOM LINEAR TIME SINUSOIDAL Ħ Y OF UNCOMPRESSED BEAM [LOGS] AXIAL LOAD PARAMETER SERIES TERMS ARE LOADING IS LOADING IS LOADING IS REGUIRED: DI=INTCCATION STEP SIZE TMAX=MAXIMUM TIME CONSIDERFO **14** FOURTER *33*37 *) BNO FOLLOWING ARE UNIFORM PRESSURE UNIFORM PRESSURE UNIFORM PRESSURE PROBLEM DRIBBS - OYNAMIC THE 1=01 10=1 =2= =3 9 0000000000000 F807

COUNTED CARACTURES OF SHIPS CONTROL OF THE STATE OF THE S

STAN INTEGER HAVING TENEDIGITS OR LESS GAUSSIAN NORMAL DISTRIBUTION AMETE DESIRED MEAN OF THE NORMAL DISTRIBUTION JIE OPSIRED MEAN OF THE NORMAL DISTRIBUTION JIE ONLY RMS VALUES ARE DESIRED. =1 OTHERWISE HRITE(6,77) NI-NT FORMAT(* THE INTEGRATION STEP IS EQUAL TO DI / .. I 4. ". RMS VALUES ARE CALCULATED AT THAX/ .. I4. TIME INTERVALS .) 10N = '.D13.6' .,013.6, #SIN .,013.6, = . D13.61 4 e en 13.61 IF(IP-2)5.8.11
READ(5.615.810.11.N1.N1.NTT
READ(5.615.410.6.110.314)
READ(5.615.410.6.110.314)
WRITE(6.7)S.4M.1X
FORMAT(° THE LOAD IS RANDOM. THE STANDARD DEVIATION FORMAT(° THE MEAN VALUE = ".013.6." "THE SED VALUE = ".1
WRITE(6.77)NI.NTT = 0,013.60° af = *+013.6+** THAX FOLLOWING ARE RECUIRED: TYDE OF SINUSTIDAL PRESSURE LUADING LAR FREQUENCY : IP=2 THE FOLLOWING ARE REOUIRED: AAA*CONSTANT RATE OF CHANGE OF PRESSURE BEF=INITIAL PRESSURE AT T=0 P=AAA*T+REE Ħ ۵ * 13)ČĒĖDEE·FEF THE LAM IS SINUSDIDAL ** 913.6**)) MS(1) = M0##2 SS1(1) = (8N0-H0#5 SORT(3.00)) ##2 SS2(1) = (8N0-H0#5 SORT(3.00)) ##2 MAV(1) = H0 SAV1(1) = 0.00 SAV2(1) = 0.00 DT1 = 0T DT = NT DT = NT DT = NT READÍS, 918AA, REE FORMAT(2010.6) WRITF(6,10) AAA, BEF FORMAT(* THE LOAD IS LINEAR. P WRITE(6.139)DT.THAX FORMAL(* THE TIME INCREMENT IF(10-2)5.8.11 2)CFE,DFE,EEE 010.6) CAT+FEE) 1=1+NC0 CEFFANDLIT DEFFECTACUL FEFFETASE 91

```
CENTER DFFLECTION AND CENTER MOMENT PARAMETERS
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    CÉNTER DEFLECTION PARAMETER = "+D13+6)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           FIT THE AXIAL LOAD PARAMETER = ".013.6)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              ... LUAD DARAMETER
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 .0.D0.AND.WC(2).6T.0.D0)NC=NC+1.0.D0.AND.WC(2).LT.0.D0)NC=NC+1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   +11+DT02##P(1)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        *1,N°0
(1,1)+DT#WP(1)
[[+2]=Wp[I]+KEQ
[F=W[I]+Wp[I]-
[F=W[I]+Wp[I]-
[F=W[I]+Vp[I]-
[KSI]-
[KSI
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         CALCULATION OF
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           333
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       336
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         146
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       143
```

```
PSIDE CALCULATES THE RIGHT SIDE OF THE EQUATIONS DWEDT=F(W+P)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               = ,013.6
                                                                                                                                                                                                                                                                                                                                                                                                 STRESSES
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 STRESSES
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 241-1)44(1))442
| 541-1)44(1)-0.25004SO
| 5-04(8N-1.00)4(W0+W(1))-8MU#W(NT+1)
| 5-NT
| 5-07(2*1-1)+((2*1-1)442*8N-(2*1-1)444)4W(1)-8MU#W(NT+1)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                (A-H+S-Z)
P-AAA+BFE+CFE+DEE+EFE+IP+WO+BMU+NT+T+BN+BNO
WP(10)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         SUBRCUTINES GAUSSI & RANDOM GENERATE RANDOM NUMBERS AS DESIRED
                                                                                                                                                                                                                                                                                                                                                                                                 THE RMS
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          =*+19+ * * CROSSINGS / UNIT TIME
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         FORMATI "THE AVERAGE DEFLECTION = .. DI3.6." THE AVERAGE
                                                                                                                                                                                                                                                                                                                                                                                                 *,013.6,*
1(2)-(BN+BM+D SORT (3.50))++2

7(2)-(FN-BM+D SORT (3.50))++2

V(2)-W(1)

AV 1(2)-(BN+BM+D SORT (3.50))

AV 2(2)-(BN-BM+D SORT (3.50))

T(BS (2)/(3.50)+(M-1))

RT (SS (2)/(3.50)+(M-1))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      2913-6)
VITE(6+151)NC+ANC
NOMBER OF CROSSINGS
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   SU223HINE SAUSSI(IX,5,4M,V)
IMPLICIT REAL#8 (A-H,0-Z)
A=0.50
Dn 1 I=1.12
C4LL 2AND PM (IX,1Y,Y)
IX=IY
                                                                                                                                                                                                                                                                                                      S2AV=DSQRT(SAV2(2)/(3.00#(
WPITE(6.200)T-T2.WRMS.SIRM
CFORMAT(2013.6." THE RMS DI
MRITE(6.300)DAV.SIAV.S2AV
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             MAXIGO TO 15
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    SIN(DEFAT+EEF)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       MAX)16,111,111
                                 SSZ(Z)= SZZ(Z)= SAV(Z) WAV(Z) 
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       SUSPOUTINE
                                                                                                                                                                                                                                                                                                                                                                                         2002
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 300
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               \mathbf{v}\mathbf{v}
```

nes (and progress), we get a chimical company of the government of the progression of the company of the

SUB2DUTINE RANDOM(IX.IY.YEL)
IMPLICIT REAL#8 (A-H.D-Z)
IY=IDINT(SMCD(7.D0##5#DFLOAT(IX).DFLOAT(2147483647)))
YEL=DFLOAT(IY)/2.D0##31
RETJRN
END

RETURN



DEPARTMENT OF THE AIR FORCE

AIR FORCE RESEARCH LABORATORY WRIGHT-PATTERSON AIR FORCE BASE OHIO 45433

9-14-99

MEMORANDUM FOR:

Defense Technical Information Center/OMI

8725 John J. Kingman Rd, Suite 0944

Ft Belvoir, VA 22060-6218

FROM:

Det 1 AFRL/WST

Bldg 640 Rm 60

2331 12th Street

Wright-Patterson AFB OH 45433-7950

SUBJECT: Notice of Changes in Technical Report(s) (See below)

Please change subject report(s) as follows:

The following have all been approved for public release; distribution is unlimited:

WL-TR-96 - 3074, WL-TR-97-3059,

MFWAL-TR-83-3072, AD B955 265 WRDC-TR-90-3081, AD B 166 585 WL-TR-96-3043, AD B212 813 . OK ST-R WL-TR-96-3094 AD B 232 172 COTA 11 B 212361

> STINFO and Technical Editing Technical Information Division